According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 1 of 11

WaterWeld Part A

SECTION 1: Identification

Product identifier

Product name: WaterWeld Part A

Product code: 8277CAN, 8277H Part A CAN

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

J-B Weld Company, LLC 400 CMH Road Sulphur Springs, TX 75482 903-885-7696 info@jbweld.com

Emergency telephone number:

North America

InfoTrac 352-323-3500

SECTION 2: Hazard identification

GHS classification:

Eye irritation, category 2A Skin irritation, category 2 Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin and eyes thoroughly after handling.

P272 Contaminated work clothing should not be allowed out of the workplace.

P280 Wear protective gloves/protective clothing/eye protection/face protection.



According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 2 of 11

WaterWeld Part A

P321 Specific treatment (see supplemental first aid instructions on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 14807-96-6	Talc Powder	7-13
CAS number: 13463-67-7	Titanium Dioxide	5-10
CAS number: 65997-17-3	Glass, oxide, chemicals	10-30
CAS number: 37244-96-5	Nepheline syenite	15-40
CAS number: 3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	0.1-1
CAS number: 25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	10-30

Additional Information:

Fiberglass powder (CAS # 65997-17-3) is classified as a carcinogen in its inhalable form. Since the fiberglass powder in this product is not inhalable, the product itself is not classified as a carcinogen in the form presented.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 3 of 11

WaterWeld Part A

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion

Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 4 of 11

WaterWeld Part A

Ensure air handling systems are operational Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Sweep or scoop up solid material while minimizing dust generation Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Nepheline syenite	37244-96-5	Ontario OELs - 8-Hour TWA Exposure Limit: 10 mg/m³ (total dust)
	Titanium Dioxide	13463-67-7	Alberta OEL: TWA 10 mg/m³ 8-hr
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 10 mg/m³ (Total dust) 8-hr
	Glass, oxide, chemicals	65997-17-3	Alberta OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 3.0 mg/m³ (Respirable fraction) 8-hr
	Titanium Dioxide	13463-67-7	Manitoba OEL: TLV-TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	British Columbia OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Ontario OEL: TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	Manitoba OELs - 8-hour TWA Exposure Limit: 5 mg/m³

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 5 of 11

WaterWeld Part A

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Glass, oxide, chemicals	65997-17-3	Ontario OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Quebec OEL: TWA 10 mg/m³ 8-hr
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 20 mg/m³ 15-min
	Talc Powder	14807-96-6	Alberta OELs - 8- hour TWA Exposure Limit: 2 mg/m³
	Talc Powder	14807-96-6	British Columbia OELs - 8-Hour TWA Exposure Value: 2 mg/m³ (respirable)
	Talc Powder	14807-96-6	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 2 mg/m³ (respirable fraction)
	Talc Powder	14807-96-6	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 2 mg/m³ (respirable fraction)
	Talc Powder	14807-96-6	Quebec OELs - 8-Hour TWA Exposure Value: 3 mg/m³ (respirable fraction)
	Talc Powder	14807-96-6	Saskatchewan OELs - 8 Hour Average Contamination Limit: 2 mg/m³ (respirable fraction)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 6 of 11

WaterWeld Part A

established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing. Wash hands before breaks and at the end of work. Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	White (solid)
Odor:	Not determined or not available.
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	135°C (275°F)
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.
Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	1.98 g/cm ³
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 7 of 11

WaterWeld Part A

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available. **Substance data:** No data available.

Skin corrosion/irritation

Assessment:

Causes skin irritation

Product data:No data available.

 Substance data:

 Name
 Result

 Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran
 Causes skin irritation.

 P-tert-butylphenyl 1-(2,3-Causes skin irritation)
 Causes skin irritation

Serious eye damage/irritation

epoxy)propyl ether

Assessment:

Causes serious eye irritation

Product data:

No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Causes serious eye irritation.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Causes serious eye damage

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction

Product data:

No data available.

Substance data:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 8 of 11

WaterWeld Part A

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	May cause an allergic skin reaction.
P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Result : May cause sensitisation by skin contact.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result
Glass, oxide, chemicals	Not applicable	May cause cancer via inhalation.
Titanium Dioxide Not applicab		Airborne, unbound particles of respirable size are known to
		cause cancer.

International Agency for Research on Cancer (IARC):

Name	Classification
Talc Powder	Group 3 - Not classifiable as to its carcinogenicity to humans
Glass, oxide, chemicals	Group 2B
Titanium Dioxide	Group 2B

National Toxicology Program (NTP):

Name	Classification
Glass, oxide, chemicals	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 9 of 11

WaterWeld Part A

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Phenol, 4,4'-(1- methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	EC50 - Scenedesmus capricornutum - 9 mg/L - 48 h

Chronic (long-term) toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available. **Substance data:** No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 10 of 11

WaterWeld Part A

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not regulated
UN proper shipping name	Not regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	
Bulk Name None	
Ship type	None
Pollution category	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

25068-38-6	Phenol, 4,4'-(1-methylethylidene)bis-, polymer with 2-(chloromethyl)oxiran	Listed
3101-60-8	P-tert-butylphenyl 1-(2,3-epoxy)propyl ether	Listed
14807-96-6	Talc Powder	Listed
37244-96-5	Nepheline syenite	Listed
65997-17-3	Glass, oxide, chemicals	Listed
13463-67-7	Titanium Dioxide	Listed

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 11 of 11

WaterWeld Part A

Non-domestic substances list (NDSL): None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.10.2019

End of Safety Data Sheet

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 1 of 11

WaterWeld Part B

SECTION 1: Identification

Product identifier

Product name: WaterWeld Part B

Product code: 8277CAN, 8277H Part B CAN

Recommended use of the product and restriction on use

Relevant identified uses: Not determined or not applicable. **Uses advised against:** Not determined or not applicable.

Reasons why uses advised against: Not determined or not applicable.

Manufacturer or supplier details

Manufacturer:

North America

J-B Weld Company, LLC 400 CMH Road Sulphur Springs, TX 75482 903-885-7696 info@jbweld.com

Emergency telephone number:

North America

InfoTrac 352-323-3500

SECTION 2: Hazard identification

GHS classification:

Eye irritation, category 2A Skin irritation, category 2 Skin sensitization, category 1

Label elements

Hazard pictograms:



Signal word: Warning

Hazard statements:

H319 Causes serious eye irritation.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary statements:

P261 Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 Wash skin and eyes thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P272 Contaminated work clothing should not be allowed out of the workplace.





According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 2 of 11

WaterWeld Part B

P321 Specific treatment (see supplemental first aid instructions on this label).

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists get medical advice/attention

P302+P352 IF ON SKIN: Wash with plenty of water/soap.

P362+P364 Take off contaminated clothing and wash it before reuse.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention

P501 Dispose of contents/container in accordance with local regulations.

Hazards not otherwise classified: None

SECTION 3: Composition/information on ingredients

Identification	Name	Weight %
CAS number: 14807-96-6	Talc Powder	10-30
CAS number: 112-24-3	Triethylenetetramine	0.1-1
CAS number: 13463-67-7	Titanium Dioxide	1-5
CAS number: 65997-17-3	Glass, oxide, chemicals	7-13
CAS number: 37244-96-5	Nepheline syenite	10-30
CAS number: 7727-43-7	Barium Sulphate	7-13
CAS number: 26950-63-0	Triethylenetetramine, propoxylated	1-5
CAS number: 57-55-6	Propane-1,2-diol	0.1-1
CAS number: 72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	10-30

Additional Information:

Fiberglass powder (CAS # 65997-17-3) is classified as a carcinogen in its inhalable form. Since the fiberglass powder in this product is not inhalable, the product itself is not classified as a carcinogen in the form presented.

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret in accordance with the Canadian Hazardous Products Regulation and WHMIS 2015.

SECTION 4: First-aid measures

Description of first-aid measures

General notes:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 3 of 11

WaterWeld Part B

Not determined or not available.

After inhalation:

Loosen clothing as necessary and position individual in a comfortable position

Maintain an unobstructed airway

Get medical advice/attention if you feel unwell

After skin contact:

Rinse affected area with soap and water

If symptoms develop or persist, seek medical attention

Take off all contaminated clothing

Gently blot or brush away excess product

Wash with plenty of lukewarm, gently flowing water

Get medical advice if skin irritation occurs or you feel unwell

After eye contact:

Rinse/flush exposed eye(s) gently using water for 15-20 minutes

If symptoms develop or persist, seek medical attention

Rinse eyes cautiously with lukewarm, gently flowing water for several minutes, while holding the eyelids open

Remove contact lenses, if present and easy to do so

Continue rinsing for 15-20 minutes

Get medical advice if eye irritation persists

After ingestion:

Rinse mouth thoroughly

Seek medical attention if irritation, discomfort, or vomiting persists

Most important symptoms and effects, both acute and delayed

Acute symptoms and effects:

Not determined or not available.

Delayed symptoms and effects:

Not determined or not available.

Immediate medical attention and special treatment

Specific treatment:

Not determined or not available.

Notes for the doctor:

Not determined or not available.

SECTION 5: Fire-fighting measures

Extinguishing media

Suitable extinguishing media:

Use appropriate fire suppression agents for adjacent combustible materials or sources of ignition

Unsuitable extinguishing media:

Not determined or not applicable.

Specific hazards during fire-fighting:

Thermal decomposition can lead to release of irritating gases and vapors

Special protective equipment for firefighters:

Use typical firefighting equipment, self-contained breathing apparatus, special tightly sealed suit

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 4 of 11

WaterWeld Part B

Special precautions:

Carbon monoxide and carbon dioxide may form upon combustion Heating causes a rise in pressure, risk of bursting and combustion

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation
Ensure air handling systems are operational
Wear protective eye wear, gloves and clothing

Environmental precautions:

Should not be released into the environment Prevent from reaching drains, sewer or waterway

Methods and material for containment and cleaning up:

Wear protective eye wear, gloves and clothing Sweep or scoop up solid material while minimizing dust generation Dispose of contents / container in accordance with local regulations

Reference to other sections:

Not determined or not applicable.

SECTION 7: Handling and storage

Precautions for safe handling:

Use only with adequate ventilation.

Avoid breathing dust.

Do not eat, drink, smoke or use personal products when handling chemical substances.

Conditions for safe storage, including any incompatibilities:

Keep container tightly sealed.

Keep container dry.

Store in a cool, well-ventilated area.

SECTION 8: Exposure controls/personal protection

Only those substances with limit values have been included below.

Occupational Exposure limit values:

Country (Legal Basis)	Substance	Identifier	Permissible concentration
Canada	Nepheline syenite	37244-96-5	Ontario OELs - 8-Hour TWA Exposure Limit: 10 mg/m³ (total dust)
	Propane-1,2-diol	57-55-6	Ontario OELs - 8-Hour TWA Exposure Value: 50 ppm (155 mg/m³) [Vapor and aerosol]
	Triethylenetetramine	112-24-3	Ontario: 8-hour TWA 3.0 mg/m³ (0.5 ppm)
	Propane-1,2-diol	57-55-6	Ontario OELs - 8-Hour TWA Exposure Value: 10 mg/m³ (Aerosol only)

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 5 of 11

WaterWeld Part B

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Barium Sulphate	7727-43-7	Alberta TWA 8-hr: 10 mg/m³
	Barium Sulphate	7727-43-7	British Columbia TWA 8-hr: 10 mg/m³ (Total dust); 3 mg/m³ (Respirable fraction)
	Barium Sulphate	7727-43-7	Manitoba TLV-TWA 8-hr: 5 mg/m³
	Barium Sulphate	7727-43-7	Ontario TWA 8-hr: 10 mg/m ³
	Barium Sulphate	7727-43-7	Quebec TWA 8-hr: 10 mg/m³ (Total Dust); 5 mg/m³ (Respirable fraction)
	Barium Sulphate	7727-43-7	Saskatchewan TWA 8-hr: 10 mg/m³; STEL 15-min: 20 mg/m³
	Titanium Dioxide	13463-67-7	Alberta OEL: TWA 10 mg/m³ 8-hr
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 10 mg/m³ (Total dust) 8-hr
	Titanium Dioxide	13463-67-7	British Columbia OEL: TWA 3.0 mg/m³ (Respirable fraction) 8-hr
	Glass, oxide, chemicals	65997-17-3	Alberta OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Glass, oxide, chemicals	65997-17-3	British Columbia OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Manitoba OEL: TLV-TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	Manitoba OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Ontario OEL: TWA 10 mg/m³ 8-hr
	Titanium Dioxide	13463-67-7	Quebec OEL: TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	Ontario OELs - 8-hour TWA Exposure Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 10 mg/m³ 8-hr
	Glass, oxide, chemicals	65997-17-3	Saskatchewan OELs - 8 Hour Average Contamination Limit: 5 mg/m³
	Titanium Dioxide	13463-67-7	Saskatchewan OEL: TWA 20 mg/m³ 15-min
	Talc Powder	14807-96-6	Alberta OELs - 8- hour TWA Exposure Limit: 2 mg/m³
	Talc Powder	14807-96-6	British Columbia OELs - 8-Hour TWA Exposure Value: 2 mg/m³ (respirable)
	Talc Powder	14807-96-6	Manitoba OELs - 8-Hour Exposure Limit (TLV-TWA): 2 mg/m³ (respirable fraction)
	Talc Powder	14807-96-6	Ontario OELs - 8-Hour TWA Exposure Value (TWA): 2 mg/m³ (respirable fraction)
	Talc Powder	14807-96-6	Quebec OELs - 8-Hour TWA Exposure Value: 3 mg/m³ (respirable fraction)

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 6 of 11

WaterWeld Part B

Country (Legal Basis)	Substance	Identifier	Permissible concentration
	Talc Powder		Saskatchewan OELs - 8 Hour Average Contamination Limit: 2 mg/m³ (respirable fraction)

Biological limit values:

No biological exposure limits noted for the ingredient(s).

Information on monitoring procedures:

Monitoring of the concentration of substances in the breathing zone of workers or in the general workplace may be required to confirm compliance with an OEL and adequacy of exposure controls.

Biological monitoring may also be appropriate for some substances.

Appropriate engineering controls:

Emergency eye wash fountains and safety showers should be available in the immediate vicinity of use or handling.

Provide exhaust ventilation or other engineering controls to keep the airborne concentrations of vapor and mists below the applicable workplace exposure limits (Occupational Exposure Limits-OELs) indicated above.

Personal protection equipment

Eye and face protection:

Safety goggles or glasses, or appropriate eye protection.

Skin and body protection:

Select glove material impermeable and resistant to the substance.

Wear appropriate clothing to prevent any possibility of skin contact.

Respiratory protection:

If engineering controls do not maintain airborne concentrations below recommended exposure limits (where applicable) or to an acceptable level (in countries where exposure limits have not been established), an approved respirator must be worn.

General hygienic measures:

Avoid contact with skin, eyes and clothing.

Wash hands before breaks and at the end of work.

Wash contaminated clothing before reuse.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance (physical state, color):	Very thick light yellow paste (solid)
Odor:	Not determined or not available.
Odor threshold:	Not determined or not available.
pH-value:	Not determined or not available.
Melting/Freezing point:	Not determined or not available.
Boiling point/range:	Not determined or not available.
Flash point:	107.78°C (226°F)
Evaporation rate:	Not determined or not available.
Flammability (solid, gaseous):	Not determined or not available.
Explosion limit upper:	Not determined or not available.

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 7 of 11

WaterWeld Part B

Explosion limit lower:	Not determined or not available.
Vapor pressure:	Not determined or not available.
Vapor density:	Not determined or not available.
Density:	1.96 g/cm³
Relative density:	Not determined or not available.
Solubilities:	Not determined or not available.
Partition coefficient (n-octanol/water):	Not determined or not available.
Auto/Self-ignition temperature:	Not determined or not available.
Decomposition temperature:	Not determined or not available.
Dynamic viscosity:	Not determined or not available.
Kinematic viscosity:	Not determined or not available.
Explosive properties	Not determined or not available.
Oxidizing properties	Not determined or not available.

Other information

SECTION 10: Stability and reactivity

Reactivity:

Does not react under normal conditions of use and storage.

Chemical stability:

Stable under normal conditions of use and storage.

Possibility of hazardous reactions:

None under normal conditions of use and storage.

Conditions to avoid:

None known.

Incompatible materials:

None known.

Hazardous decomposition products:

None known.

SECTION 11: Toxicological information

Acute toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data: No data available.

Skin corrosion/irritation

Assessment:

Causes skin irritation

Product data: No data available. Substance data:

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 8 of 11

WaterWeld Part B

Name	Result
Triethylenetetramine, propoxylated	Corrosive to the skin.
Triethylenetetramine	Causes severe skin burns and eye damage.

Serious eye damage/irritation

Assessment:

Causes serious eye irritation

Product data:

No data available.

Substance data:

Name	Result
Triethylenetetramine, propoxylated	Corrosive effect on the eyes.

Respiratory or skin sensitization

Assessment:

May cause an allergic skin reaction

Product data:

No data available.

Substance data:

Name	Result
Poly(oxy(methyl-1,2- ethanediyl)), alpha-hydro- omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3- propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	May cause an allergic skin reaction.
Triethylenetetramine, propoxylated	Sensitization possible through skin contact.
Triethylenetetramine	May cause an allergic skin reaction.

Carcinogenicity

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Species	Result	
Glass, oxide, chemicals	Not applicable	May cause cancer via inhalation.	
Titanium Dioxide		Airborne, unbound particles of respirable size are known to cause cancer.	

International Agency for Research on Cancer (IARC):

Name	Classification
Glass, oxide, chemicals	Group 2B
Talc Powder	Group 3 - Not classifiable as to its carcinogenicity to humans
Titanium Dioxide	Group 2B

National Toxicology Program (NTP):

Generated using Total SDS $^{\text{\tiny{M}}}$ (patent-pending), www.GSMSDS.com

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 9 of 11

WaterWeld Part B

Name	Classification
Glass, oxide, chemicals	Reasonably anticipated to be human carcinogens

Germ cell mutagenicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Reproductive toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (single exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Specific target organ toxicity (repeated exposure)

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Aspiration toxicity

Assessment: Based on available data, the classification criteria are not met.

Product data:No data available.

Substance data: No data available.

Information on likely routes of exposure:

No data available.

Symptoms related to the physical, chemical and toxicological characteristics:

No data available.

Other information:

No data available.

SECTION 12: Ecological information

Acute (short-term) toxicity

Assessment:

Harmful to aquatic life

Product data: No data available.

Substance data:

Name	Result	
Triethylenetetramine	LC50 - Daphnia magna (Water flea) - 33.9 mg/L - 48 h	

Chronic (long-term) toxicity

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 10 of 11

WaterWeld Part B

Assessment: Based on available data, the classification criteria are not met.

Product data: No data available.

Substance data:

Name	Result
Poly(oxy(methyl-1,2- ethanediyl)), alpha-hydro- omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3- propanediol (4:1), 2-hydroxy-3- mercaptopropyl ether	NOEC - Daphnia magna (Water flea) - 3.5 mg/L - 21 d

Persistence and degradability

Product data: No data available. **Substance data:** No data available.

Bioaccumulative potential

Product data: No data available. **Substance data:** No data available.

Mobility in soil

Product data: No data available. **Substance data:** No data available.

Other adverse effects: No data available.

SECTION 13: Disposal considerations

Disposal methods:

It is the responsibility of the waste generator to properly characterize all waste materials according to applicable regulatory entities

SECTION 14: Transport information

Canadian Transportation of Dangerous Goods (TDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

International Maritime Dangerous Goods (IMDG)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None

Generated using Total SDS™ (patent-pending), www.GSMSDS.com

According to Canadian Hazardous Products Regulations and WHMIS 2015

Initial preparation date: 07.10.2019 Page 11 of 11

WaterWeld Part B

Special precautions for user	None

International Air Transport Association Dangerous Goods Regulations (IATA-DGR)

UN number	Not Regulated
UN proper shipping name	Not Regulated
UN transport hazard class(es)	None
Packing group	None
Environmental hazards	None
Special precautions for user	None

SECTION 15: Regulatory information

Canada regulations

Domestic substances list (DSL):

57-55-6	Propane-1,2-diol	Listed
72244-98-5	Poly(oxy(methyl-1,2-ethanediyl)), alpha-hydro-omega-hydroxy-, ether with 2,2-bis(hydroxymethyl)-1,3-propanediol (4:1), 2-hydroxy-3-mercaptopropyl ether	Listed
26950-63-0	Triethylenetetramine, propoxylated	Listed
112-24-3	Triethylenetetramine	Listed
65997-17-3	Glass, oxide, chemicals	Listed
14807-96-6	Talc Powder	Listed
37244-96-5	Nepheline syenite	Listed
13463-67-7	Titanium Dioxide	Listed
7727-43-7	Barium Sulphate	Listed

Non-domestic substances list (NDSL): None of the ingredients are listed.

SECTION 16: Other information

Abbreviations and Acronyms: None

Disclaimer:

This product has been classified in accordance with the Canadian Hazardous Products Regulations and WHMIS 2015. The information provided in this SDS is correct, to the best of our knowledge, based on information available. The information given is designed only as a guidance for safe handling, use, storage, transportation and disposal and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials, unless specified in the text. The responsibility to provide a safe workplace remains with the user.

Initial preparation date: 07.10.2019

End of Safety Data Sheet