

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
No.: SDS211O667EN-A047
JL Code:
Page: 1/8

Revision date: 2025-05-09

Issue Date: 2025-05-09

1. IDENTIFICATION OF THE CHEMICAL AND SUPPLIER

1.1 Product identifier

Product Name : Self-Fusing Silicone Tape

1.2 Manufacturer or supplier's details

Company : TOOLWAY INDUSTRIES LTD.
Office Address : 280 Hunter's Valley Road, Woodbridge, ON, Canada L4H 3V9.
Web : www.toolway.com
Post code :
Telephone number : +(905) 326-5450
Fax number : + (905) 326-5451
E-mail : darlene@toolway.com

1.3 Recommended use of the chemical and restrictions on use

Recommended Use : Bonding
Advised Against : At this moment in time we do not have information on use restrictions. They will be included in this document when available.

1.4 Emergency Number

Emergency Number : 1-800-535-5053

2. HAZARDS IDENTIFICATION

2.1 GHS Classification

Instruction : No need to classify according to classification criteria.

3. COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substance/mixture

Mixture

3.2 Components

Component	CAS-No.	Concentration(Wt%)	Classification
Polysiloxanes, di-Me, Me vinyl, vinyl group-terminated	68083-18-1	70~90	Not Classified

*The specific chemical identity and/or exact percentage (concentration) of this composition has been withheld as a trade secret.

4. FIRST AID MEASURES

4.1 Description of necessary first aid measures

General advice : Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
Eye contact : This product may cause temporary discomfort following direct contact with the eye.
Skin contact : Entry into the blood-stream, through, for example, cuts, abrasions or lesions, may produce systemic injury with harmful effects.

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
No.: SDS21IO667EN-A047
JL Code:
Page: 2/8

Revision date: 2025-05-09 Issue Date: 2025-05-09

Ingestion : Accidental ingestion of the product may be harmful to the health of the individual.

Inhalation : Inhalation of the product may produce adverse health effects or irritation of the respiratory tract following discomfort.

4.2 Most important symptoms and effects, both acute and delayed

Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.
May cause an allergic skin reaction, serious eye irritation, damages to organs through prolonged or repeated exposure.
Ingestion is likely to be harmful or have adverse effects.

4.3 Protection of first-aiders

First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists.

Ensure that medical personnel are aware of the substance involved.

Take precautions to protect themselves and prevent spread of contamination.

4.4 Notes to physician

Treat symptomatically and supportively.

Symptoms may be delayed.

5. FIREFIGHTING MEASURES

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing agent suitable for type of surrounding fire.

Unsuitable extinguishing media : There is no restriction on the type of extinguisher which may be used.

5.2 Specific hazards arising from the substance or mixture

Development of hazardous combustion gases or vapor possible in the event of fire.
May expansion or decompose explosively when heated or involved in fire.

5.3 Advice for firefighters

As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.

Fight fire from a safe distance, with adequate cover.

Prevent fire extinguishing water from contaminating surface water or the ground water system.

6. ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Keep unprotected persons away.

Follow safe handling advice and personal protective equipment recommendations.

Avoid contact with skin, eyes and inhalation of vapors.

Remove all sources of ignition.

Use personal protection recommended in Section 8.

6.2 Environmental precautions

Discharge into the environment must be avoided.

Prevent further leakage or spillage if safe to do so.

Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages cannot be contained.

6.3 Methods and materials for containment and cleaning up

Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container.

Clean up remaining materials from spill with suitable absorbent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are appl

6.4 Reference to other sections

See Section 7, Ssection 8, Section 13, Senction 15 for more information.

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
No.: SDS211O667EN-A047
JL Code:
Page: 3/8

Revision date: 2025-05-09

Issue Date: 2025-05-09

7. HANDLING AND STORAGE

7.1 Precautions for safe handling

Handling is performed in a well ventilated place.
Wear suitable protective equipment.
Avoid contact with skin and eyes.
Keep away from heat/sparks/open flames/ hot surfaces.
Take care to prevent spills, waste and minimize release to the environment.
Persons susceptible to allergic reactions should not handle this product.

7.2 Precautions for storage

Keep containers tightly closed.
Keep containers in a dry, cool and well-ventilated place.
Keep away from heat/sparks/open flames/hot surfaces.
Store away from incompatible materials and foodstuff containers.

7.3 Materials to avoid

Strong oxidizing agents, Organic peroxides, Acids, Foodstuffs, Explosives, Hot, Heat.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

Occupational Exposure limit values

No further relevant information available.

Biological limit values

Biological limit values : No data available

Monitoring methods

EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
GBZ/T 300.1~GBZ/T 300.160-2017; GBZ/T 300.161~GBZ/T 300.164-2018 Determination of toxic substances in workplace air (Series standard).

8.2 Engineering controls

Ensure adequate ventilation, especially in confined areas.
Ensure that eyewash stations and safety showers are close to the workstation location.
Use explosion-proof electrical/ventilating/lighting/equipment.
Set up emergency exit and necessary risk-elimination area.

8.3 Personal protection equipment

Personal protective equipment



Respiratory protection : If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.

Hand protection : Wear protective gloves (such as butyl rubber), passing the tests according to EN 374(EU), US F739 or AS/NZS 2161.1 standard.

Eye protection : Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).

Skin and body protection : Wear fire/flammable resistant/retardant clothing and antistatic boots.
Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
 No.: SDS211O667EN-A047
 JL Code:
 Page: 4/8

Revision date: 2025-05-09 Issue Date: 2025-05-09

Hygienic measures : Ensure that eye flushing systems and safety showers are located close to the working place.
 When using do not eat, drink or smoke.
 Wash contaminated clothing before reuse.
 Do not inhale gases / fumes / aerosols.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid
 Odor : Odorless
 Odor threshold : No information available
 pH : No information available
 Melting point/freezing point : No information available
 Initial boiling point and boiling range (°C) : >35
 Flash point (°C) : ≥95°C (Closed cup)
 Evaporation rate : No information available
 Flammability : Not flammable
 Upper explosive limits[% (v/v)] : No information available
 Lower explosive limits[% (v/v)] : No information available
 Vapor pressure : No information available
 Relative vapour density (Air=1) : No information available
 Relative density (Water=1) : No information available
 Solubility (mg/L) : Insoluble
 n-octanol/water partition coefficient : No information available
 Dynamic viscosity : No information available
 Particle characteristics : No information available
 Explosive properties : Non explosive
 Oxidizing properties : Non oxidizing

10. STABILITY AND REACTIVITY

Reactivity : Not classified as a reactivity hazard.
 Chemical stability : Stable under normal conditions.
 Possibility of hazardous reactions : No information available.
 Possibility of hazardous reactions : Incompatible materials, heat, flame and spark.
 Incompatible materials : No information available.
 Hazardous decomposition products : No date available.

11. TOXICOLOGICAL INFORMATION

11.1 Acute toxicity

No further relevant information available.

11.2 Carcinogenicity

No further relevant information available.

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
 No.: SDS211O667EN-A047
 JL Code:
 Page: 5/8

Revision date: 2025-05-09 Issue Date: 2025-05-09

11.3 Others

Self-Fusing Silicone Tape	
Skin corrosion/irritation	: No further information available
Serious eye damage/irritation	: No further information available
Skin sensitization	: No further information available
Respiratory sensitization	: No further information available
Reproductive toxicity	: No further information available
STOT-single exposure	: No further information available
STOT-repeated exposure	: No further information available
Aspiration hazard	: No further information available
Germ cell mutagenicity	: No further information available
Reproductive toxicity(additional)	: No further information available

12. ECOLOGICAL INFORMATION

12.1 Acute aquatic toxicity

No further relevant information available.

12.2 Chronic aquatic toxicity

No further relevant information available.

12.3 Persistence and degradability

No further relevant information available.

12.4 Bioaccumulative potential

No further relevant information available.

12.5 Mobility in soil

No further relevant information available.

12.6 Results of PBT and vPvB assessment

No further relevant information available.

13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with local regulations.

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.Do not pierce or burn, even after use. If not otherwise specified: Dispose of as unused product.

Disposal recommendations Refer to section waste chemicals and contaminated packaging.

14. TRANSPORT INFORMATION

14.1 UNRTDG:

UN No. : N/A

Class : N/A

Pakaging group : N/A

Marine pollutant : N/A

Shipping Name : N/A

Self-Fusing Silicone Tape

Revision date: 2025-05-09

Issue Date: 2025-05-09

Ref: Q/JL SX01P03-202001
No.: SDS21IO667EN-A047
JL Code:
Page: 6/8

14.2 Marine Transport IMDG-Code:

UN No. : N/A
Class : N/A
Packaging group : N/A

Marine pollutant : N/A

Shipping Name : N/A

14.3 Road Transport ADR:

UN No. : N/A
Class : N/A
Packaging group : N/A

Marine pollutant : N/A

Shipping Name : N/A

14.4 Air Transport IATA-DGR:

UN No. : N/A
Class : N/A
Packaging group : N/A

Marine pollutant : N/A

Shipping Name : N/A

15. REGULATORY INFORMATION

Safety, health and environmental regulations/legislation specific for the substance or mixture.

16. OTHER INFORMATION

16.1 National Fire Protection Association (U.S.A.)

Health : 0
Flammability : 1
Instability/Reactivity : 1
Special : N/A

16.2 Reference

- [1] IPCS: The International Chemical Safety Cards (ICSC) ,website: <http://www.ilo.org/dyn/icsc/showcard.home>
- [2] IARC, website: <http://www.iarc.fr/>
- [3] OECD: The Global Portal to Information on Chemical Substances, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en.
- [4] CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- [5] NLM: ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001
 No.: SDS211O667EN-A047
 JL Code:
 Page: 7/8

Revision date: 2025-05-09

Issue Date: 2025-05-09

- [6] EPA: Integrated Risk Information System, website: <http://cfpub.epa.gov/iris/>
 [7] U.S. Department of Transportation: ERG, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
 [8] Germany GESTIS-database on hazard substance, website: <http://gestis-en.itrust.de/>
 [9] European Chemicals Agen-cy, <http://echa.europa.eu/>

16.3 Full text of other abbreviations

ADN: European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways;
 ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road;
 IBC: International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk;
 IMO: International Maritime Organization; ISHL: Industrial Safety and Health Law (Japan);
 OSHA: United States Department of Labor: Occupational Safety and Health Administration;
 RID: Regulations concerning the International Carriage of Dangerous Goods by Rail;
 UNRTDG: United Nations Recom-mendations on the Transport of Dangerous Goods;
 MARPOL: International Convention for the Prevention of Pollution from Ships;
 AICS: Australian Inventory of Chemical Substances; ACGIH: American Conference of Governmental Industrial Hygienists;
 AIHA: American Industrial Hygiene Association; O: International Organisation for Standardization;
 ASTM: American Society for the Testing of Materials; KECI: Korea Existing Chemicals Inventory;
 ATE: Acute toxicity estimate; LC50: Lethal Concentration to 50 %;
 CMR: Carcinogen, Mutagen or Reproductive Toxicant; LD50: Lethal Dose to 50%(Median Lethal Dose);
 CMR: Carcinogen, Mutagen or Reproductive Toxicant; EC50: Effective Concentration 50%
 DSL: Domestic Substances List (Canada); IC50: Half maximal inhibitory concentration;
 ECx: Concentration associated with x% response; PICCS: Philippines Inventory of Chemicals and Chemical Substances;
 ELx: Loading rate associated with x% response; OECD: Organization for Economic Co-operation and Development;
 EmS: Emergency Schedule; n.o.s.: Not Otherwise Specified;
 ENCS: Existing and New Chemical Substances (Japan); NO(A)EC: No Observed (Adverse) Effect Concentration;
 ErCx: Concentration associated with x% growth rate response; NO(A)EL: No Observed (Adverse) Effect Level;
 GLP: Good Laboratory Practice; NZIoC: New Zealand Inventory of Chemicals;
 IARC: International Agency for Research on Cancer; OPPTS: Office of Chemical Safety and Pollution Prevention;
 IATA: International Air Transport Association; PBT: Persistent, Bioaccumulative and Toxic substance;
 ICAO: International Civil Aviation Organization; (Q)SAR: (Quantitative) Structure Activity Relationship;
 IECSC: Inventory of Existing Chemical Substances in China; SADT: Self-Accelerating Decomposition Temperature;
 IMDG: International Maritime Dangerous Goods; STEL: Short Term Exposure Limit;
 NFPA: National Fire Protection Association TCSI: Taiwan Chemical Substance Inventory;
 UN: United Nations; TSCA: Toxic Substances Control Act (United States);
 TWA: Time-Weighted-Average; vPvB: Very Persistent and Very Bioaccumulative.
 PC-TWA: Permissible concentration-Time Weighted Average PC-STEEL: Pemissible concentration-Short Term Exposure Limit

16.4 Disclaimer

Self-Fusing Silicone Tape

Ref: Q/JL SX01P03-202001

No.: SDS21IO667EN-A047

JL Code:

Revision date: 2025-05-09

Issue Date: 2025-05-09

Page: 8/8

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guide for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable. This Safety Data Sheet (SDS) was prepared according to UN GHS (Rev. 10th). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user's reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.

-----END-----

SDS21IO667EN-
A047

The management system has been certified according to ISO 9001:2015, ISO 14001:2015, ISO 45001:2018. Powerseal® is a trademark of **Toolway Industries Ltd.**
Web: www.toolway.com