MEASURING TOOLS

0



CONTENTS

MEASURING WHEELS		•	• •					. 3
TAPE MEASURES			• •					. 7
LEVELS								.17
PRECISION TOOLS								.27
RULERS & SQUARES .								.30
MARKING & LAYOUT.								.35

MEASURING WHEEL W/DIGITAL DISPLAY

TOOLTECH





MEASURING WALKING WHEEL

UPC/BARCODE

621457000000

704053 CASE

0/10



MEASURING WALKING WHEEL

- Aluminum
- Telescoping Handle up to 34-5/8in



CRESCENT Lufkin

MEASURING WHEEL PROFESSIONALSAE

The Lufkin[®] Professional 12 in measuring wheel has a proven design that keeps things simple with one big improvement that gives it best-in-class durability. The new bolstered folding handle joint is designed to survive when other handles break. It's made to open without damage when subjected to severe shock. Large wheel model ideal for uneven terrain or long indoor measurements. Retractable handle adjusts for comfortable measurements; folded length 30 in; extended length 41 in. Suitable for measuring vertical; horizontal or curved surfaces; the large Crescent Lufkin professional SAE measuring wheel displays surface dimensions in feet and in for quick; accurate distance calculations. It features a 12 in wheel with a rubber tire for superb traction on the uneven terrain of jobsites or long indoor expanses. The analog counter dial calibrated to the wheel counts to 10; 000 ft before rolling over to 0.

- Large wheel ideal for rough terrain or flat surfaces
- Dial indicator measures up to 9999 ft 11 in without resetting
- Retractable handle adjusts for user comfort
- Measure as fast as you can walk
- Rubber wheel with tough plastic hub
- Imperial measuring system







80026423

CASE 1/2 UPC/BARCODE

37103264237

MFR# PSMW48N

MEASURING WHEEL PROFESSIONAL METRIC

- · Large wheel ideal for rough terrain or flat surfaces
- Dial indicator measures up to 9999 ft 11 in without resetting
- Retractable handle adjusts for user comfort
- Measure as fast as you can walk
- Rubber wheel with tough plastic hub
- Metric measuring System



PLASTIC HUB



MFR# PSMW48NM

80031037

CASE 2 / 1

UPC/BARCODE 37103310378





4

OPEN REEL SURVEYORS TAPE

TCOLTECH

The Fat-Pat open reel surveyor's tape measure from Toolway is the perfect tool for measuring long distances quickly and efficiently. The PVC coated fiberglass tape is water and crease resistant and the efficient rewind handle makes reeling in the tape a breeze.

- PVC coated fibreglass tape that is water and crease resistant
- Impact resistant plastic case and efficient rewind handle
- Blade has a metal end Hook with claw and metric/imperial graduation markings
- 328-Feet long with a 12mm wide tape
- Eec class iii accuracy





OPEN REEL SURVEYORS TAPE

- Fiberglass reinforced tape with vinyl coating in a durable Fiberglass Frame
- Winding handle folds out for rapid rewinding
- Tape end has a hook for anchoring to make measuring easy and efficient
- Rubber grip handle
- Non-conductive, weather resistant
- Ideal for contractors, realtors, landscape, sports teams,

UPC/BARCODE



CRESCENT Lufkin

HI-VIZ ORANGE SPEEDWINDER STEEL LONG TAPE MEASURE

- Open four-arm frame design protects blade; does not trap dirt in case
- Lightweight but strong case is easy to handle and rewind
- Two-material grip is comfortable to use
- Hi-Viz® orange case is easy to find on the job site
- · Folding end hook for true-zero measurements
- Feet and inches to 8ths; metric to millimeters; numbered in centimeters
- Yellow clad fiberglass blade impervious to moisture
- Blade style C4





ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80045826	FM030CME	1⁄2" x 100' (30m)	Metric/Imperial	Steel	Yellow clad fiberglass	0/6	37103224156	
80024419	FM060CME	1⁄2" x 200' (60m)	Metric/Imperial	Steel	Fiberglass	1/1	37103244194	

CONSTRUCTION TAPE MEASURE -ROTATING HANDLE

- Lufkin ST100-07 Steel Construction Long Tape Ideal for surveyors, engineers, and construction professionals, this measuring tape delivers accuracy and durability with its compact construction.
- 3:1 rotating hub for fast rewind with a seated handle for protecting the crank assembly during storage
- Extra wide, dual sided end hook increases grasping surface area; dual prong systems folds up or down allowing user to utilize both sides of the blade
- Two sided blade provides more versatility for a variety of measuring requirements; designed to work with dual sided end hook
- Anti-knuckle busting handle includes a built in stop allowing crank to travel above users fingers during retraction
- · Ergonomic case optimizes the compact shape with user comfort while holding the case in hand



TOOLTECH

TAPE MEASURE W/INK MARKER

- Non slip rubber grip
- · Heavy duty blade lock



RUBBER GRIP TAPE MEASURES

This Tape Measures are an essential tool for the home or job site. with nylon coated blade which allows for a quick and stable roll-up and increased durability, a magnetic tip reinforced with three-rivets, rubber bumper and fingertip quick locking mechanism. Measurements are displayed in imperial and metric for your convenience.

- 1" Nylon coated blade.
- Rubber bumper design delivers non-slip performance and a comfortable grip.
- Measurements are displayed in both imperial and metric system.
- · Fingertip quick locking mechanism for added control and ease of use.
- Magnetic tip reinforced with three-rivets.
- Features a built-in belt clip.





ITEM	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
100004	1" x 16' (5m)	Metric/Imperial	Rubber	Nylon Coated	12 / 120	20861000049	
100014	1" x 25' (7.5m)	Metric/Imperial	Rubber	Nylon Coated	6 / 60	20861000148	
100015	25' x 1"	Imperial	Rubber	Nylon Coated	6 / 60	20861000155	
100011	25' x 1-1/4"	Imperial	Rubber	Nylon Coated	6 / 60	20861000117	



HEAVY DUTY RUBBER GRIP TAPE MEASURES

TOOLTECH

This Compact Tape Measure brings leading innovation; functionality; and reliability to the marketplace. This tape measure; when fully extended; reaches lengths of 25 feet; allowing you to measure even the longest objects. It has a 1-inch bright finishing blade. The magnetic tip is reinforced with three-rivets for added strength; while the rubber housing makes it impact resistant. Designed with a fingertip quick locking mechanism for a convenient blade hold the incorporated belt clip also allows the user to quickly stow and access the tape when required. Measurements are displayed in both imperial and metric units for your convenience. It is an essential tool for every home or jobsite.

- Rubber bumper design delivers non-slip performance and a comfortable grip.
- Measurements are displayed in both imperial and metric units.
- Fingertip quick locking mechanism for added control and ease of use.
- Features a built-in belt clip.
- Magnetic tip reinforced with three-rivets.
- Built in Shock absorber to protect blade tip





ITEM	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
100001	5/8" x 10' (3m)	Metric/Imperial	ABS, Rubber	Rigid, long stand-out blade	12 / 120	20861000018	
100007	1" x 25' (7.5m)	Metric/Imperial	Rubber	Yellow finishing	6 / 60	20861000070	

POWER RETURN TAPE MEASURE - METRIC

R. 8. 000

This Compact Tape Measure brings leading innovation; functionality; and reliability to the marketplace. This tape measure; when fully extended; reaches lengths of 25 feet; allowing you to measure even the longest objects. It has a 1-inch bright finishing blade. The magnetic tip is reinforced with three-rivets for added strength; while the rubber housing makes it impact resistant. Designed with a fingertip quick locking mechanism for a convenient blade hold the incorporated belt clip also allows the user to quickly stow and access the tape when required. Measurements are displayed in both imperial and metric units for your convenience. It is an essential tool for every home or jobsite.

- Rubber bumper design delivers non-slip performance and a comfortable grip.
- Measurements are displayed in both imperial and metric units.
- Fingertip quick locking mechanism for added control and ease of use.
- Features a built-in belt clip.
- Magnetic tip reinforced with three-rivets.
- Built in Shock absorber to protect blade tip





ITEM	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
100030	1" x 25' (7.5m)	Metric/Imperial	Rubber	Coated	6 / 48	20861000308	
100031	25' x 1"	Imperial	Rubber	Coated	6 / 48	20861000315	



MEASURING TOOLS 2022



TAPE MEASURE - ECONOMY

- Durable impact-resistant ABS case for long life
- Black and Yellow
- Rigid, long stand-out blade
- Rubber bumper on blade return extends blade life
- Non-slip black rubber grip
- High-contrast black and red graduations for easy readability
- S.A.E and Metric Size: 3/4" x 16' (5 m)





ITEM	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
390033	3/4" x 16' (5m)	Metric/Imperial	ABS, Rubber	Rigid, long stand-out blade	24 / 96	773545000000	
390034	1" x 25' (7.5m)	Metric/Imperial	ABS, Rubber	Rigid, long stand-out blade	12 / 48	773545000000	

TOOLTECH **TAPE MEASURE** • 16 ft (5 m) x 3/4 in Tape measure Chrome and Black • Rubber overmold for added grip • S.A.E and Metric 6' (5 m) x 3/4 COLTECH 16' (5 m) x 3/4" S.A.E. & MÉTRIQUE S.A.E. & METRIC IN 57 **METRIC/IMPERIAL** 3/4" X 16' (5M) **TPR RUBBER** YELLOW BLADE K Y **CIV** 337005 CASE 12/24 773544000000 **UPC/BARCODE TAPE MEASURE** OLTECH • Rigid; long stand-out blade with EZ-Mark reading • Durable high-impact plastic case • Ergonomic design with easy reach locking button 12 Tounter D • Shock absorber protects end hook on return • Stud markings every 16 in • Display box of 24 3900035 x 5/8" . WARDING TO A , WALLOUGH III **2** 3900032 ITEM SIZE UNIT MEASURE CASING BLADE CASE UPC BARCODE Rigid, long 390032 5/8" x 12' (3.5m) Metric/Imperial Plastic 24/96 773545000000 stand-out blade Rigid, long 390035 5/8" x 12' (3.5m) Metric/Imperial Plastic 24 / 96 773545000000 stand-out blade

M E A S U R I N G T O O L S | 2 O 2 2

TAPE MEASURE BRICK MASTER

TOOLTECH • Mason tape for CSR and Premier bricks. • This tape can also be used for ultra size bricks. • Blade has both modular and standard marking scales. • Blade coated with nylon for added durability. • Heat-treated spring for longer life. · Marked with numeric course counter. 3/4" x 16' • Ergonomic rubber grip case with positive lock. COS DECICENTAL CON ITEM SIZE UNIT MEASURE CASING BLADE CASE UPC BARCODE 100028 16' x 3/4" Imperial Rubber Nylon Coated 12/120 20861000285 ABS,

20861000292

6/60

Nylon Coated

Rubber

MASONRY TAPE MEASURE - FLEXIBLE BLADE

Imperial

Bespack PREMIER

100029

16' x 1"





ck 2 3 CSR PREMIER MAX

ONTARIO SIZE

ITEM	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80037041	12'	Imperial	Steel	Nylon Coated	12 / 120	58721370414	
80037043	12'	Imperial	Steel	Nylon Coated	0 / 0	58721370438	
80900039	12'	Imperial	Steel	Nylon Coated	0 / 0	58809000394	
80900039	12'	Imperial	Steel	Nylon Coated	0/0	58809000394	



Bespack

MEASURING TOOLS I WWW.TOOLWAY.COM



TAPE MEASURE METRIC/IMPERIAL (CUSTOM LOGO)

Promote your business by carrying your own line of tape measures! We offer full service packages in which we design and print customized tape measure labels for your company



25' X 1-3/16"

0/6

57

KN

CASE

80033310

CRESCENT

Lufkin

Anti-pinch, finger tip control feature for increased control when retracting the tape Protected lock button and 6-point dual material case for increased durability Matte clear protective blade coating for better visibility and durability of the blade 360° end hook and 12-foot standout make one-person use easier Tether hole for safely working at heights

ABS. RUBBER

MFR#

A5 MATTE BLACK

NYLON COATED

L1025CB



QUICK READ TAPE MEASURE

• Graduations printed in fractions and decimal equivalents

UPC/BARCODE

· Rubber cushion case exterior protects tape from impact and improves grip

IMPERIAL

- Positive toggle lock holds blade securely at any length
- · Self-compensating end-hook for inside and outside measurements
- Durable ABS case withstands rugged use on the jobsite
- Built-in bumper reduces shock when blade is retracted
- · Patented end-hook lasts 10X longer than ordinary end-hooks



37103333100



- Case designed to fit perfectly in the hand
- Lightweight; high strength chrome finished case
- Fits easily into most tape holsters
- Bright yellow blade has clear easy-to-read numerals
- Toggle lock positioned for convenient operation; holds blade securely
- Cushioned blade return
- Removable belt clip
- · All shelf pack power tapes are carded
- Blade style A13





ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80130131	CS8506	1/2" x 6'	Imperial	ABS	A30 Yellow Clad	1 / 25	37103301314	
80004186	PHV1034CMEN	3/4" x 13' (4m)	Metric/Imperial	ABS	A30 Yellow Clad	6 / 36	37103041869	
80001317	PHV1316N	16' x 3/4"	Imperial	ABS	A2 Yellow Clad	6 / 36	37103013170	
80004188	PHV1035CMEN	3/4" x 16' (5m)	Metric/Imperial	ABS	A30 Yellow Clad	6 / 36	37103041883	
80030727	PHV1410CMEN	1" x 33' (10m)	Metric/Imperial	ABS	Clear coated Yellow Clad	0 / 1	37103307279	

CRESCENT Lufkin

ORANGE POWER RETURN TAPE MEASURE - ECONO

- Lightweight; high strength; contour grip case fits comfortably in hand
- Hi-Viz® Orange case easy to find on the job
- Unique slide lock design allows for easy control of tape blade
- Wide base helps keep tape standing upright
- Removable belt clip
- Fits easily in most tape holsters
- Easy-to-read yellow clad blade (not replaceable)



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80019105	L616N	16' x 3/4"	Imperial		Yellow Clad	0 / 6	37103191052	
80019107	L616CMEN	3/4" x 16' (5m)	Metric/Imperial		Yellow Clad	6 / 1	37103191076	
80019106	L625N	25' x 1"	Imperial		A5 Matte Clear Nylon Coated	8 / 1	37103191069	
80019109	L625CMEN	1" x 26' (8m)	Metric/Imperial		Yellow Clad	8 / 1	37103191090	

SERIES 200 POWER RETURN TAPE MEASURE

- Case designed to fit perfectly in the hand
- Lightweight; high strength chrome finish case
- Fits easily in to most tape holsters
- Bright yellow blade has clear easy-to-read numerals
 Toggle lock is positioned for convenient operation and
- holds the blade securely in any position
- Virtually unbreakable Quad Hook
- Four rivets for extra strength (1 in blade only)
- Cushioned blade return
- Removable belt clip



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE	
80044173	P2316N	16' x 3/4"	Imperial		A2 Yellow Clad	6 / 36	37103441737		

CLASSIC CHROME TAPE MEASURES

- Durable; mirror-finish chrome case
- 1 inch wide blade with 8 ft standout
- Quad rivet end hooks for increased durability
- Extra wide lock button for easy thumb actuation
- Hi-Viz® Orange; textured strip to help identify tape and prevent dropping
- Matte finish; nylon coated blade for increased longevity and legibility
- Blade graduated in 32nds for first 12 inch



ITEM	MFR#	SIZE	UNIT MEASURE CAS	SING BLADE	CASE	UPC	BARCODE
80029929	L916-02	16' x 1"	Imperial	1 inch wide blade	1/6	37103299291	

M E A S U R I N G T O O L S | 2 O 2 2

TAPE MEASURES

FAT MAX - TAPE MEASURE - MAGNETIC HOOK

Features a Tru-Zero magnetic hook that measures accurate every time; with a three-rivet; corrosion-resistant end hook for accurate measurements. The strong rare earth magnet holds securely onto metal surfaces and has an 11 ft blade standout for reach and ease of use. The blade is 1-1/4 wide for large; easy to read measurements. The blade itself has Blade Armor coating which protects the blade and reduces breakage and a Mylar blade coating which extends blade life and helps to prevent rust.

- Aluminum blind rivets
- Color coded fastener identification system on both riveter and rivet packaging makes size and product selection a cinch
- Plastic rivet packaging offers a storage solution with the ability to re-close the container for mess-free fastener protection
- Fits the following riveters: MR77C; MR55C5; MR33C



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
533865	FMHT33865	25' x 1¼"	Imperial	ABS, Elastomer	BladeArmor® coating	1/5	45731124229	
533866	FMHT33866	1¼" x 26' (8m)	Metric/Imperial	ABS, Elastomer	BladeArmor® coating	1/5	45731124137	

FAT MAX - TAPE MEASURE

This classic tape measure will fit your toolbelt; your hand and the job. Protective full tape blade coating and added BladeArmor® at the hook extends tape life; protecting against abrasion and heavy use. Large; easy-to-read numbers and standard stud markers enhance accuracy.

- 14 ft of reach to get measurements on your own
- Durable high impact case with non-slip rubber stands up to jobsite demands
- Easy to read measurements with large font numbers
- Stands up to abrasion and repeated use with durable full tape blade coating
- Added BladeArmor® coating maximizes durability of the tape at the hook and extends tape life



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80033725	33-725-THR	25' x 1¼"	Imperial	ABS, Elastomer	BladeArmor® coating	4 / 24	76174337259	
80033726	33-726-THS	1¼" x 25' (8m)	Metric/Imperial	ABS, Elastomer	BladeArmor® coating	4 / 24	76174337266	
80033730	33-730	30' x 1¼"	Imperial	ABS, Elastomer	BladeArmor® coating	4 / 24	76174337303	

FAT MAX - TAPE MEASURE

- Blade armor coating reduces risk of tape breakage by 90%; prolonging product life
- Blade stays rigid up to 3.5 m; for easy single person usage
- Case has flexible elastomer cover for greater user comfort
- · Compact case design is Ergonomically shaped with a cushioned grip for maximum comfort in the hand and to use
- · Easy read blade markings (centralized numbers) allow for easy identification of measurement and greater accuracy
- Mylar[™] blade coating provides greater durability and wear resistance of blade markings for improved readability over time and prolonged product life
- · Shock resistant soft impact resistant case withstands shocks and knocks offering greater blade protection
- Specially designed hook grabs on side; top or bottom for versatility
- Belt clip



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
533728	33-728-THS	8m x 1¼" (32mm)	Metric	ABS, Elastomer	Mylar™ blade coating	1/4	76174337280	

POWERLOCK TAPE MEASURE

STANLEY

- Mylar® polyester film helps extend life of entire blade
- High-impact; chrome plated ABS case
- Forward blade lock makes locking and unlocking a cinch
- Tru-Zero[™] hook slides to accommodate inside and outside measurements; helping end user avoid errors due to the thickness of the hook
- Riveted; corrosion resistant hook Belt clip on back of case

5m/1

ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
80033158	33-158	3/4" x 16' (5m)	Metric/Imperial	ABS Chrome	Mylar® Polyester	6 / 6	76174331585	


FAT MAX - TAPE MEASURE

The STANLEY® 25 ft tape measure is made from high impact ABS plastic for added durability with a polymer coated tape blade to protect from wearing during use. This tape measure features 7 ft of stand out; easy to ready markings; including 16 in and 19.2 in stud center markings for framing jobs and a Tru-Zero® hook for accurate inside and outside measurements.

- Stanley 30-455 1 in x 25ft Tape Measure
- 7 ft of stand out for added reach
- · High-impact ABS case for durability
- Polymer coated blade for longer lasting blade
- Tru-Zero® hook for accurate inside/outside measurements



ITEM	MFR#	SIZE	UNIT MEASURE	CASING	BLADE	CASE	UPC	BARCODE
530455	30-455	25' x 1"	Imperial	ABS Yellow	Polymer Coated	1/6	76174304558	
530456	30-456	1" x 26' (8m)	Metric/Imperial	ABS Yellow	Polymer Coated	1/6	76174304565	



3D LEVELING LASER

- Soft grip and ABS housing offset impact from drop and shock
- IP54 waterproof and dustproof protection
- Works well with bright lighting
- With aid of 2 extra bright perpendicular dots on front vertical laser beam, you can construct a vertical laser line by linking the two dots, even when the lines are invisible under strong light
- Outdoor Mode. Turn on OUTDOOR mode to use with receiver. With receiver, ideal working range is 25m (recommended). Maximum working range: 40m
- Magnetic Wall Mount: Use powerful magnet to stick onto any metallic surface for levelling
- Use without tripod



LASER









100053 CASE **UPC/BARCODE**

18

TCOLTECH[®]

TOOLTECH

ALUMINUM SCREEDS LEVELS

Achieve professional results with the Tooltech Xpert[®] Level screed. This tool will assist the concrete finisher to prepare the subfloor for the laying of the chosen floor finish by leveling excess wet concrete, to bring the top surface to the perfect grade and smoothness. Built with high-impact aluminum for maximum durability, these screeds are available in 3 lengths, are designed with 2 molded hand holds, 2 levels for accurate readings and 2 plastic end caps. Perfect for professional installers and DIYers.

- Helps create a true plane surface when laying concrete.
- Quickly removes excess concrete to bring the top surface to the proper grade.
- Achieve a smooth, level surface on which to lay your preferred floor finish.
- Designed with two molded handles for ease of use along with two high visibility
- levels and plastic end caps to decrease chances of marring surrounding surfaces.
- Manufactured with high-impact aluminum for added strength and durability.



	ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
	120396	2m (6.56')	Aluminum	2	0 / 10	20861203969	
	120408	2.5m (8.2')	Aluminum	2	0 / 0	20861204089	
	120409	3m (9.84')	Aluminum	2	0 / 0	20861204096	
-							

ALUMINUM LEVEL

- With handle grips
- Used as Level & Plomb
- Tough end caps
- Aluminum body






ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
120400	18"	Aluminum	3	0 / 0	20861204003	
120401	24"	Aluminum	3	0 / 0	20861204010	
120402	36"	Aluminum	3	0 / 20	20861204027	
120403	48"	Aluminum	3	0 / 20	20861204034	
120404	72"	Aluminum	3	0 / 20	20861204041	
120407	84"	Aluminum	3	0 / 20	20861204072	

TOOLTECH FAT-PAT

I-TYPE ALUMINUM LEVEL

TCOLTECH[®]





•	High intensity	complex I-tyr	e aluminum.	bend ar	id twist-proof
	right intonoity	COMPLEX LYP	c alumnum,	bonu ar	


- Larger diameter cylinder vial for improved accuracy
- Sliding cursor for convenient marking and positioning
- TPR-covered caps to resist shock
- · Integrated vial seat structure for extra security

IN METRIC/IMPERIAL

ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
120398	48"	Aluminum	3	0 / 0	20861203983	
120399	72"	Aluminum	3	0 / 0	20861203990	

ALUMINUM LEVEL MAGNETIC

- V-Slot bottom
- High accuracy vial
- Rubber grip handles
- Non-slip magnetic base





ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
120395	72"	Aluminum	3	0 / 0	20861203952	
120393	24"	Aluminum	3	0 / 0	20861203938	
120394	48"	Aluminum	3	0 / 0	20861203945	

$\mathsf{M} \mathsf{E} \mathsf{A} \mathsf{S} \mathsf{U} \mathsf{R} \mathsf{I} \mathsf{N} \mathsf{G} \quad \mathsf{T} \mathsf{O} \mathsf{O} \mathsf{L} \mathsf{S} \quad | \ \mathsf{2} \ \mathsf{O} \ \mathsf{2} \ \mathsf{2}$

TORPEDO LEVEL



This handy 12-Inch torpedo level is perfect for any toolbox. Its all metal construction makes it extremely durable and its magnetic base allows it to stick to metal surfaces freeing up your hands. Equipped with easy to read vials it is also painted yellow which makes spotting it around work areas a breeze.

2

- Magnetic base
- All metal construction
- Easy to read Vials
- · Painted yellow which makes spotting it around work areas a breeze



20861204058

12/48

TORPEDO LEVEL MAGNETIC BASE

12"

Used in Plumbing, Electrical ans Small Leveling projects.

Metal

- 3 Vials with plumb
- Magnetic

120405



			Linear Contract				
ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE	
704508	9"	Plastic	3	10/100	621457000000		

ALUMINUM LEVEL MAGNETIC BASE

- 3 Vials with plumb
- High accuracy vail
- With magneetic base



IN CM METR	RIC/IMPERIAL					
ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
704421	24"	Aluminum	3	5 / 20	621457000000	

POST & PIPE LEVEL

- Ideal tool for leveling ground poles, roof mounts, wall mounts or even fence or deck posts.
- Works well on both square and round posts.
- 3 Vials: 1 Plumbs 2 Horizontal Levels.
- Magnetic Strips for Easy Hand-free Reading.
- Rubber Strap for Easy Hand-free Reading.
- Foldable for Easy Storage.





ITEM	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
704469	90 x 140 mm	Plastic	3	10 / 100	621457000000	

DIE-CAST ALUMINUM TORPEDO LEVEL

- 10-Inch die cast aircraft grade aluminum
- Machined edges for accurate readings
- Rare earth magnets for maximum holding power
- V-groove edge for use on round surfaces
- Patented verti-site design can be read from front or side in confined places



ALUMINUM BOX LEVEL

- 24-Inch advanced structural aluminum frame for maximum durability
- Rubberized end Caps to protect against shock
- Impact-resistant solid block acrylic Vials resist breaking, leaking and fogging
- · Comfort grips for ease of handling with uv-resistant magnified center Vial for high visibility
- · Patented verti-site design can be read from front or side in confined places







ITEM	MFR#	MFR# SIZE		MATERIAL VAILS		UPC	BARCODE
G09001	G09001	24"	Aluminum	3	6 / 8	84389090012	
G09002	G09002	48"	Aluminum	3	6 / 8	84389090029	

MEASURING TOOLS 2022

TCOLTECH

Goldblatt

ALUMINUM LEVEL MAGNETIC

- Durable extruded aluminum frame
- Strong I-beam construction
- Easy-to-read yellow vials for accuracy
- Solid set replaceable roto vial® lenses and vials
- Guaranteed accurate to 0.0004 in per inch
- 3 Total vials
- 1 Level vials; 2 plumb vials
- Protected plastic lenses cover the vials
- Easy to read imperial/ metric rule on one edge
- Full length strong magnetic strip



ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE	
80014101	SLQML24	24"	Aluminum	3	6 / 6	30553141011		S.
80900090	SLQML48	48"	Aluminum	3	6 / 6	30553141028		

DIGITAL BOX LEVEL W/CASE

- Find exact angles, percentages, and pitches!
- Digital display accurate to .1° at level and plumb
- Mutable buzzer at 0°, 45°, and 90°
- Display stores 9 measurements
- 360° readout display
- 10 minute auto shut-off preserves battery
- Vials are accurate to .0005 In. per inch
- Unique top and side reading plumb vial for versatility
- Top-reading level vial
- Magnetic edge works on metal frames
- Strong aluminum frame
- Splash and dust resistant

- Strong shock absorbent end caps
- Large hand hole
- Hang hole for easy storage
- Requires a 9 Volt battery, sold separately
- Instructions included
- Store in a Professional Level Case to protect the level, included
- Durable, high impact plastic case
- Secure hinged cap on easy open/close end
- High visibility yellow end caps on case
- Peg hook on case for easy storage



ITEM	MFR#	FR# SIZE MA		VAILS	CASE	UPC	BARCODE	
80046109		24in	Aluminum	2	0 / 6	765139000000		
80046113		48in	Aluminum	2	0 / 6	765139000000		

CAST ALUMINUM LEVEL

- Durable cast aluminum construction
- Will not warp or rust
- Solid set Cat's Eye Yellow double bent vials for accuracy
- Double bent vials make leveling easier
- Guaranteed accurate to .0004" per inch
- 6 total vials
- 2 level vials, 4 plumb vials
- Protected lenses cover the vials
- Precision milled frame for accurate work surface
- Contractor red, super hard professional surface
- Large hand holes
- Hand holes can be used as hang hole

ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
210113	SL1818	18"	Aluminum	6	6 / 6	30553101138	
210114	SL2424	24"	Aluminum	6	0 / 12	30553101145	
210116	SL3030	30"	Aluminum	6	12/12	30553101169	
210111	48-48	48"	Aluminum	6	6 / 6	30553101114	

ALUMINUM UTILITY LEVEL

Lightweight extruded aluminum forms this 24 In. I-Beam frame. This level is engineered to meet the demands of the home handyperson. Three bright yellow vials are set for accuracy. The solid set, replaceable Roto Vial[®] protective plastic lenses an vials. A groove in the bottom of the frame is ideal for rounded surfaces such as pipes and conduit. Large hand holes provide comfort and ease when moving the level.




- V" groove on bottom of frame for use on round pipe, conduit, or flat surface
- Lightweight extruded aluminum I-beam frame
- Store in a Professional Level Case (#SLPLC24) to protect the level, sold separately
- Made in the USA



ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
218014	SLPL348	48"	Aluminum	3	6 / 6	30553180140	
80118012	SLPL324	24"	Aluminum	3	6 / 6	30553180123	

LEVEL - MASON WOOD MAHOGANY

- Heavy duty aluminum I-beam frame
- Made from finest mahogany
- Easy-to-read Cat's Eye Yellow vials for accuracy
- Double bent vials make leveling easier
- Strong solid set vials
- Guaranteed accurate to 0.0004 in
- 6 Total vials; 2 level vials; 4 plumb vials
- Protective glass lenses cover the vials
- Shock absorbing rubber end caps
- Hand grooves for ease; hang hole for easy storage





ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
214001	SLMA24	24"	Aluminum, Mahogany	6	6 / 6	30553140014	
214004	SLMA48	48"	Aluminum, Mahogany	6	6 / 6	30553140045	

H.D. ALUMINUM LEVEL

- Heavy duty aluminum I-beam frame, shock absorbent end caps
- Replaceable protective plastic lenses & vials
- Shock Absorbent end caps
- Store in a Professional Level Case (#SLPLC24) to protect the level, sold separately
- Made in the USA



ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
212002	SLHD24	24"	Aluminum	6	6 / 6	30553120023	
212007	HD-48	48"	Aluminum	6	6 / 6	30553120078	

M E A S U R I N G T O O L S | 2 O 2 2

H.D. EXT. ALUMINUM LEVEL

- Heavy duty aluminum I-beam frame
- Adjustable Cat's Eye Yellow double bent vials
- Replaceable protective plastic lenses & vials
- Precision milled frame for work surface accurate to .004" per inch
- Contractor's red
- · Hang hole
- Store in a Professional Level Case (#SLPLC72) to protect the level, sold separately
- Made in the USA

6	1		- 💮	C			·	
ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE	
80012008	SLHD72	72"	Aluminum	6	6/6	30553120082		

TORPEDO LEVEL ALUMINUM

Heavy-duty cast aluminum frame makes this level handy for everyday projects, but sturdy for rugged abuse from professional use. This versatile level has three easy-to-read high quality vials. The vials are positioned for top-reading, plumb and 45-degree leveling. Metal frame makes it a popular choice with welders. Hang hole allows for secure easy storage. Proudly made in the USA.

- · Heavy-duty cast aluminum frame
- 3 vials for leveling
- Level, Plumb, and 45° vial
- · Top-reading level vial
- · Grooved working edge fits on pipes and conduit
- · Popular choice for welders and pipe fitters
- Hole for hanging or toggling
- Handy 9 In. tool
- Made in the USA

ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
80016017	SLSC50	9"	Aluminum	3	12/12	30553160173	

TORPEDO LEVEL ALUMINUM MAGNETIC BASE

Heavy-duty cast aluminum frame makes this level handy for everyday projects, but sturdy for rugged abuse from professional use. This versatile level has three easy-to-read high quality vials. The vials are positioned for top-reading, plumb and 45-degree leveling. Magnetic bottom expands the versatility, also great for use with metal studs. Metal frame makes it a popular choice with welders. Hang hole allows for secure easy storage. Proudly made in the USA.

- · Heavy-duty cast aluminum frame
- · 3 vials for leveling
- · Level, Plumb, and 45° vial
- Top-reading level vial
- Magnetic bottom surface
- · Popular choice for welders
- · Hole for hanging or toggling
- Handy 9 In. tool
- Made in the USA



ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE	
80016018	SLSC50M	9"	Aluminum	3	12/12	30553160180		



TORPEDO LEVEL PLASTIC MAGNETIC BASE

Lightweight plastic frame makes this level handy for everyday projects around the house. This versatile level has three easy-to-read vials. The vials are positioned for top-reading, plumb and 45-degree leveling. Magnetic bottom expands the versatility, also great for use with metal studs. Slim design is easy to handle. Hang hole can be used for toggling or to hang for easy storage when not in use. Colorful design.

· Lightweight plastic body • Slim design is great for around the house • Magnetic edge 3 easy-to-read yellow vials • Level, plumb, and 45° angles · Top-reading level vial Hole for hanging or toggling • Handy 9 In. tool Colorful design ITEM MFR# SIZE MATERIAL VAILS CASE UPC BARCODE 9" 3 80016020 SLPT9M Plastic 12/12 30553160203

LINE LEV • Lightweight • Made in the		NUM						
ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE	
216016	SLSC55	3"	Aluminum	1	12/12	30553160166		

LINE LEVEL - PLASTIC

This versatile level can be used on a line or as a handy pocket level. The small 3 inch level is made from durable plastic construction Double lines on the plastic vial allows the user to determine a slight pitch when needed. Hooks to hang on a line are configured to hold the level straight. The bottom groove of the level rests easily on curved surfaces such as pipes. A clip is molded into the plastic base on one side to allow to clip to a pocket or other material to keep it handy.

- Durable plastic construction
- · Vial can be read from all angles
- Hooks connect level to line
- · Bottom groove rests easily on curved surfaces
- · Small size is versatile
- · Pocket clip
- Made in the USA

ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
80016021	SLPLL3	3"	Plastic	1	12 / 12	30553160210	

MEASURING TOOLS 2022

STANLEY

STUD FINDER ELECTRONIC

Stanley 77-110 Intelli-Sensor stud finder is a handy tool everyone should have. It easily locates the edges of studs or joists through drywall and other common wall materials. The electronic audio and visual signals are emitted once the edge of the stud is detected. It has an automatic calibration switch for easy turn-on operation and automatic shut-off for longer battery life. It features high-impact; heavy duty ABS case; with non-marring pads for wall protection and a pencil notch for marking stud edges. Pocket size for easy storage. Requires a 9 volt battery (not included)."

- Used for Test & Measurement; Scanners
- · Pocket-size stud sensor detects and locates studs and joists up to a 3/4in depth
- LED display and buzzer indicates stud edge
- High-impact; ergonomically-designed ABS case includes pencil notch for pinpoint marking
- Calibrates automatically for surefire accuracy. LED's include low battery warning
- Limited Lifetime Warranty





ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80077110	STHT77403	23.11 x 10.67 x 4.83 cm	ABS	6 / 36	76174771107	

STUD FINDER

Get dependable detection of wall studs with this durable Magnetic Stud Finder. Maneuver with ease with its 1-3/8 in. x 1-3/8 in. size as you quickly locate steel nails and screws used to hold drywall to studs. The stud finder's notched base allows the user to conveniently mark spots once studs are found.

- HIGH RELIABILITY: Consistently detect location of wall studs
- EASILY FIND STEEL NAILS AND SCREWS in drywall with built-in magnet
- OPTIMIZED EASE OF USE: Seamlessly mark off where studs are located with notched base





ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80047400	47-400	1-3/8" x 1-3/8"	Plastic blend	6 / 36	76174474008	



DIGITAL CALIPER

- Precise and accurate measurement
- · Power on/off, zero setting and metric/imperial interchange button
- Large LCD display
- Thumb adjuster wheel
- Stainless steel construction

	and and	and the second s			
СМ	TRIC/IMP Size	ERIAL	CASE	STAINLESS HA	BARCODE
ITEM	SIZE	ITPE	UASE	UPC	BARGODE
704016	6"	Stainless Steel	12 / 24	621457000000	

DIGITAL CALIPER

- Precise and accurate measurement
- Power on/off, zero setting and metric/imperial interchange button
- Large LCD display
- Thumb adjuster wheel
- Stainless steel construction




VERNIER CALIPER

- 7" caliper.
- Reading 1mm and 1/128"
- To take interior and exterior measure.
- Imperial and metric data.



VERNIER CALIPER (PLASTIC)

- Reads 0-6 inch; in 1/128 inch graduations and 0-155 mm in 0.05 mm graduations
- Jaws measure inside and outside dimensions
- Thumb screw locks reading in place and rolling adjustment for precise jaw positioning
- Size: 6 inch



BARCODE

TOOLTECH


DIVIDER SPRING CALIPER

• 6 inch Stainless steel flat leg divider spring caliper.



OUTSIDE SPRING CALIPER

• 6 inch Stainless steel outside spring caliper.



PROTRACTOR

SIZE

6"

ITEM

704282

INSIDE SPRING CALIPER

• 6 inch Stainless steel flat leg divider spring caliper.

MATERIAL

N/A

CASE



UPC

25/100 621457000000

SAW GUIDE WITH PROTRACTOR

- Measures up to 550mm
- Accurate straight line and angle cutting
- Adjustable from 0° to 140°
- Heavy-gauge steel
- Screw clamp included





ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE	
704507	586 mm	Steel	5/10	621457000000		-


TCOLTECH[®]

RAFTER ANGLE SQUARE - ALUMINUM

- Provides accurate angles and easy ready.
- · Molded graduations.
- Milled edges and polishes faces.
- Durable aluminum.

IN





ITEM	SIZE	TYPE	CASE	UPC	BARCODE
120991	7"	Aluminum	10 / 50	20861209916	
120994	12"	Aluminum	6 / 24	20861209947	

COMBINATION SQUARE

- Self-aligning draw-bolt
- Level vial built into handle
- 12" Steel-grooved blade
- S.A.E. & Metric Markings




IN METRIC/IMPERIAL							
	ITEM	SIZE	TYPE	CASE	UPC	BARCODE	
	120990	12"	Aluminum	10 / 40	20861209909		



	rric/im	DRYWALL				
ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE	
120988	54"	Aluminum	0 / 10	20861209886		

DRYWALL T-SQUARE



CARPENTERS SQUARE - BLACK STEEL







METRIC/IMPERIAL

ITEM	SIZE	ТҮРЕ	CASE	UPC	BARCODE
120984	16" x 24"	Steel	0 / 6	20861209848	
120985	16" x 24"	Steel	0 / 6	20861209855	
120986	16" x 24"	Aluminum	0/6	20861209862	
120987	16" x 24"	Aluminum	6 / 36	20861209879	

1 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 **20** 21 22 23 24 25 26 27 28 29 30 cm

STEEL RULER




2PC K-SQUARE SET




K-Square measuring device, which can be used for a variety of tasks, including drawing 90-Degree and 45-Degree angles without moving the K Square on external and internal surfaces. Draw a straight line along a surface at various measurements and find the center of a circle with just two strokes. Very compact as it will easily fit in your tool box. Packet contains two squares, one left and one right.

- Can be used for woodwork and metal work
- Very compact to fit in your toolbox
- Draw inside angles on rebated timber
- Mark doors to cut for a mortise lock











IN CM	ietric/imperi	AL		
ITEM	SIZE	TYPE	CASE	UPC
704204	12" (30cm)	Steel	12 / 300	621457000000

CM METR

ITEM	SIZE	ТҮРЕ	CASE	UPC	BARCODE
120992	14 cm	Aluminum	8/16	20861209923	

BARCODE

T-SQUARE DRYWALL REGULAR

- Bright clear anodized extruded aluminum
- Easy-to-read black markings
- 1/8 inch graduations for precision
- Reverse read body for versatility
- 16 inch arm and markings for studs
- Tongue has lip to sit flush for cutting
- Four rivet construction; designed for strength
- · Hang hole for easier storage
- · Must purchase in quantities of 6
- Made in the USA

0 0 0 0 0 2	9 Z 9 6 01 11 - 10 00 12 15 15	21 05 78 58 58 68 68 68 000000000 56 56 17 18 24 18 0		11 10 2.4 10 10 11 11 10 14 10 14		1 10 20 10 10 10 10 10 10 10 10 10 10 10 10 10
ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
231017	SL672	48" x 16"	Aluminum	2/2	30553310172	

T SQUARE HD

- Bright clear anodized extruded aluminum
- · Easy-to-read black markings
- 1/16 inch graduations for precision
- · Reverse read body for versatility
- 16 inch arm and markings for studs
- Tongue has lip to sit flush for cutting
- And the second se • Four rivet construction; designed for strength
- 3/16 inch thick material for rigidity
- · Hang hole for easier storage

IMPERIAL

SIZE

48"

SQUARE COMBO PLASTIC

• Ideal for level, plumb, and miter work

· Easy to read permanently etched graduation

• Level vial in the head of the square

TYPE

Aluminum

CASE

2/2

· Square has steel scribe and solid brass knurled thumb screw for adjustment

IN

ITEM

80131018

Plastic head

RCODE	ITEM	MFR#	SIZE	MATERIAI
	80080106	SL460		Brass

GAUGE ANGLE

Made in the USA

· Solid brass construction

· Create accurate repeated angle cuts on rafters and stairs

S

- .

- •
- •
- •

IN CM IMP	PERIAL		for the second se	AND LEVEL A S O T S 1012 151 2 3 4 5 0 T S 1012 151 2 3 4 5 0 T S 1012 151 1 8 0 T S 1002 151 1 8 0 T	CUS 24 30 CUS 25 30
ITEM	SIZE	TYPE	CASE	UPC	BARCODE
80045100	7"	Aluminum	12 / 12	30553451004	

ALUMINUM RULER

- · Strong extruded aluminum construction
- Bright anodized aluminum
- Easy-to-read black graduations
- Millimeters, 1/8", and 1/16" graduations for accuracy
- · Metric conversion table printed on back

- · Hang hole for easy storage
- Made in the USA

• Made in the USA					
CM 245101 METRIC/IMPER					
gitijataja Tr L.L.L.L.L.L	n to no na na na Analana ang ang ang ang ang ang ang ang ang	1.1.1.7			10 10 10 10 10 10 10 10 10 10 10 10 10 1
	TVDE	VALLO	OACE	UDO	DADOODE

UPC

30553310189

BARCODE

ITEM	SIZE	TYPE	VAILS	CASE	UPC	BARCODE
80045103	12"	Aluminum	1	12/12	30553451035	
245101	12"	Aluminum	1	12/12	30553451011	

 Strong ex constructi Bright and Easy-to-re Millimeter for accura Metric con 	odized aluminum ead black graduati rs, 1/8", and 1/16' ICy nversion table prin e for easy storage	ons graduations			
СМ	ETRIC/IMPERIAL Size	ТҮРЕ	CASE	UPG	PADCODE
ITEM		Aluminum	10 / 10	30553501006	
80050100	39.37" (100cm)	AluIIIIIIIIIII	10/10	3033301000	


· Attach to metal carpenter square for accurate; repeated angle

ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80080106	SL460		Brass	10/10	30553801069	
 Lightweig Durable of Dark eas Flat finish 1/8 in Gr 	n 1: try sq ght alumir constructi y-to-read n prevents aduations	uare; mite num const on won't t permaner s glare	er square; protrac ruction bend or break nt graduations ease in marking	tor; inscrib	ber; & saw guide	

RAFTER ANGLE SQUARE

- Graduations: 1/16in; 1/8in; 1/10in; 1/12in Aluminum
- Rafter framing rule; octagon scale; brace measure; 1/100 scale
- Made in USA





SQUARE STANDARD

MFR#

A100R

IMPERIAL

· Wood screw drill size, Useful info, Nail info, Board foot table

SIZE

16" x 24"

TYPE

Aluminum

CASE

6/6

30553401030

Made in the USA

ITEM

240103

IN CM IMF	PERIAL					
EM	MFR#	SIZE	TYPE	CASE	UPC	BARCODE
240112	SL8P	8" x 12"	Steel	6 / 6	30553401122	
240115	SC-1A	16" x 24"	Aluminum	6 / 6	30553401153	
240117	SLSC1P	16" x 24"			30553401177	

SQUARE CARPENTER

High-quality hardened steel for durability and long life. Black 1/8 inch embossed graduations for easy reading on face and back. Reverse reading scale makes measuring more efficient. Treated with a clear; protective buff finish that resists rust.

- High-quality hardened steel for durability
- Embossed graduations and markings for easy readability
- Graduations and markings on both sides of square makes measuring more efficient
- Provides helpful reference conversion tables including: lumber scale; decimal equivalent and metric conversion table; formula for squaring a foundation; 45 Deg; 60 Deg; and 30 Deg angle markings; volume and area formulas; wood screw gauge table; nail sizes (common and finish); and quantity per pound and depth scale
- Surface treated with a protective clear coating to resist corrosion and to extend the life



ITEM	MFR#	SIZE	ТҮРЕ	CASE	UPC	BARCODE
80045500	45-500	16" x 24"	Steel	6 / 6	76174455007	

STANLEY

USA

STANLEY

T-BEVEL

Durable stainless steel blade with built-in blade lock for transferring angles. Tough 5-1/2 inch; plastic handle provides handy and comfortable grip.

- Durable stainless-steel blade Built-in blade lock for transferring angles Tough plastic handle provides handy; comfortable grip
- Built-in blade lock for transferring angles
- Tough plastic handle provides handy; comfortable grip



ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80046825	46-825	8"	Stainless Steel, Plastic	6 / 36	76174468250	

SQUARE COMBO

Contractor grade combination square with a square for English measurements; a level vial; and a scratch awl. Durably etched; hard-chrome-plated blades are rust resistant and made to last. 12 inch square has precision-machined working surfaces for improved accuracy. Built-in scriber comes in handy for surface marking. Easy-to-read vial. High-visibility yellow; die-cast handle with brass hardware for durability.

- Contractor grade combination square with a square for English measurements; a level vial; and a scratch awl
- Durably etched; hard-chrome-plated blades are rust resistant and made to last
- 11 inch square has precision-machined working surfaces for improved accuracy
- Built-in scriber comes in handy for surface marking
- Easy-to-read vial

· High-visibility yellow; die-cast handle with brass hardware for durability



СМ	IPERIAL						
ITEM	MFR#	SIZE	MATERIAL	VAILS	CASE	UPC	BARCODE
80046123	46-123	12"	Aluminum	1	3/3	76174461237	

SQUARE COMBO W/LEVEL

The 12" combination square is durable and accurate. Its blade is made of hard chrome, which is coated to resist rust for long life. With built-in scriber for surface marking, easy-to-read vial, and die-cast metal handle, this tool allows for efficient measuring and marking. Embossed hard-chrome blade is coated to resist rust Built-in scriber for surface marking Easy-to-read vial Black die-cast metal handle for durability

CASE	UPC	BARCODE	
0 / 4	76174462227		

CN

ITEM

80046222

IMPERIAL

MFR#

SIZE

12"

MATERIAL

Aluminum

VAILS

1

CARPENTER'S PENCIL SHARPENER





ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE
390018	2.5 x 2.5 x 5.7 cm	Plastic	60 / 240	773545000000	
390049	2.5 x 2.5 x 5.1 cm	Plastic	24 / 96	773545000000	

CARPENTER PENCIL



CARPENTER PENCILS & SHARPENER



CARPENTER PENCIL SOFT LEAD

TCOLTECH



CARPENTER PENCILS HARD LEAD



CARPENTER PENCILS & SHARPENER



ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE
390048	17 x 7 x 176 mm	Wood/Plastic	6 / 36	773545000000	

TOOLTECH

CARPENTER PENCILS HEXAGONAL 2B



2PC TILE MARKER

		NEW STANDARD	BLACK
NEW STANDARD RED		NEW STANDARD	RED

ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE
110116			0 / 9	20861101166	

CHALK LINE SET



ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE
164301	100' (30m)		0 / 24	20861643017	

MECHANICAL CARPENTER'S

- Sharpening FREE with more usable lead than a traditional carpenter pencil
- 18% thicker than average lead
- Made of high impact ABS
 Drefeesingst meridian tool f

TCOLTECH' XPERT

Professional marking tool for all trades of construction





ITEM	SIZE	MATERIAL	CASE	UPC	BARCODE
191068	128mm	ABS	25 / 300	20861910683	

MARKING & LAYOUT

IRWIN

CHALK LINE

- · Easy Fill & Lock Top features a large, 1/4-turn locking top for quick chalk fill and easy access to reel internals
- 100' Hi-tensile line is stronger for fewer breaks and for use on rough, abrasive surfaces
- 6:1 Gear ratio rewinds line 6X faster than traditional chalk reels
- Open access back panel allows for quick line change and cleaning
- Metal drive gear resists gear failure under heavy load
- Robust steel handle and large ergonomic clutch for increased durability, strength, and torque
- Wide-prong hook for secure anchoring
- Durable aluminum housing provides impact resistance

ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80093674	1932877	100'	Aluminum	6/6	42526936746	

CHALK REEL CLASSIC

- Wide door for quick and easy chalk fill
- 100' Abrasion-resistant poly line provides 5-6 strikes per pull
- 1:1 Gear ratio rewinds line
- Robust steel handle and large center hub
- Durable aluminum housing

ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80093667	1932871	50'	Aluminum	1/6	42526936678	
80093668	1932872	100'	Aluminum	12/12	42526936685	

CHALK REEL

- Wide door for quick and easy chalk fill
- 100' Abrasion-resistant poly line provides 5-6 strikes per pull
- 3:1 Gear ratio rewinds line 3X faster than traditional chalk reels
- Robust steel handle and large ergonomic clutch
- for increased durability, strength, and torque
- · Lightweight ABS housing withstands jobsite wear and tear

ITEM	MFR#	SIZE	MATERIAL	CASE	UPC	BARCODE
80093670	1932874	100'	ABS	6 / 96	42526936708	

CHALK STANDARD

- Interior or exterior use
- Marks are temporary
- Provides great visibility

ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
80050007	64901	8 oz	Chalk	Blue	1/4	24721500076	
80050012	64902	8 oz	Chalk	Red	1/4	24721500120	
80050020	65101ZR	5 lb	Chalk	Blue	1/4	24721500205	
80050021	65102	5 lb	Chalk	Red	1/4	24721500212	
80065104	65104	5 lb	Chalk	White	1/4	24721651044	
80002122	2032160	5 lb	Chalk	Black	0/4	24721021229	
80099927	4935519	6 oz	Chalk	Crimson Red	0/6	24721999276	
80099928	4935520	6 oz	Chalk	Midnight Black	0/6	24721999283	











DIXON

CARPENTER PENCIL MEDIUM

- Easy to see, easy to sharpen
- Available in soft, medium and hard
- World's best known carpenter pencil
- Long lasting smooth, rich black mark
- Individually barcoded for single pencil sales
- PMA Certified non-toxic



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
519972	19972	5.08 x 2.54 x 17.78 cm	Wood	Medium Lead	6 / 120	72067199727	
80019971	19971	5.08 x 2.54 x 17.78 cm	Wood	Soft Lead	6 / 120	72067199614	
80019973	19973	5.08 x 2.54 x 17.78 cm	Wood	Hard Lead	6 / 120	72067199638	

12PK CHINA MARKERS - PAPER WRAPPED

- Formulated to work well on film, glass, metal and plastics
- Paper-wrapped with tear-string sharpening
- · Marks are water resistant and colorfast, but still removable from nonporous finishes
- Bright colors for vivid marks
- PMA Certified Non-toxic



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
80000073	73		Paper	Yellow	6 / 120	72067000736	
80100092	92		Paper	White	6 / 120	72067000927	
80200077	77		Paper	Black	6 / 120	72067000774	

MAGIC MARKER RED

- Excellent durability
- Wedge Tip
- Leak proof; seamless metal body
- Heavy duty; chisel point felt tip
- Permanent; instant drying ink
- Fade resistant
- 6 inch Barrel length



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
80087110	95001	6"	Metal Body	Red	1/12	72067871107	

12PK PERMANENT MARKER BLACK METAL CAN

SIZE

6"

MATERIAL

Metal Body

COLOR/LEAD

Black

CASE

1/12

- Heavy duty metal barrel
- Chisel felt-tip with anchored nib construction

MFR#

87170

- Fast drying, permanent ink
- PMA Certified Non-toxic



UPC

72067871701

ITEM

80187170

LUMBER CRAYON HOLDER

- Fits all round or hexagonal crayons or markers, 1/2 diameter
- Polished walnut handle
- Metal chuck
- Hole for wrist strap
- PMA Certified Non-toxic



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
80000500	500	1/2"	Wood	Walnut	12/72	72067005007	

LUMBER CRAYON

- Graphite lumber crayons measure 4-1/2 x 1/2 inches
- Crayons last up to 10 times longer than ordinary molded wax crayons
- Fade-proof, water-proof and smear-proof
- Use on wet (green) lumber or dry wood, metal, concrete and most other surfaces
- PMA Certified Non-toxic



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
80049400	49400	4-1/2" x 1/2"	Wax	Black #494	6 / 24	72067494009	
80049600	49600	4-1/2" x 1/2"	Wax	Yellow #496	6 / 24	72067496003	
80052000	52000	4-1/2" x 1/2"	Wax	Red#520	6 / 24	72067520005	
80052100	52100	4-1/2" x 1/2"	Wax	Blue #521	6 / 24	72067521002	
80052300	52300	4-1/2" x 1/2"	Wax	White #523	6 / 24	72067523006	
80052600	52600	4-1/2" x 1/2"	Wax	Pink #526	6 / 24	72067526007	



LUMBER CRAYON HOLDER

 Holds lumber crayons so you can use and transport them without staining hands, clothes, or work surfaces.



ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
334000				335 Color	0 / 24	773544000000	

La-Co

FLAT MINED SOAPSTONE

- Temporary marks can be easily removed
- Marks will not contaminate weld or damage metal surface
- Marks illuminate when cutting or welding
- · Holders for flat and round shapes reduce breakage
- For more visible and durable marks; see our Silver-Streak $^{\!\otimes}$ and Red-Riter $^{\!\otimes}$ metal markers
- · All-natural soapstone is the economical; versatile solution for temporary marking during welding operations
- Marks are easily removed and will not contaminate welds

ITEM	MFR#	SIZE	MATERIAL	COLOR/LEAD	CASE	UPC	BARCODE
510375	80129	JILE	SoapStone	White	1/1	81834103754	

PLUMB BOB

- Polished-lacquer, solid-brass construction is durable and rust resistant
- Replaceable, hardened steel tip is long-lasting
- Screw top simplifies attaching string to center of plumb
- Comes with extra tip
- Through hole for easy tightening

STANLEY



ITEM	MFR#	SIZE	MATERIAL	TIP	CASE	UPC	BARCODE
80047973	47-973	80Z	Brass		6 / 36	76174479737	