

# TOOLTECH® XPERT

LARGE FORMAT TILE SYSTEM



TILE INSTALLATION TOOLS & ACCESSORIES



**TOOLWAY®**

Head Office: 1-280 Hunter's Valley Road, Woodbridge, ON, Canada L4H 3V9 | Phone: (905) 326-5450 | Fax: (905) 326-5451  
Montreal: 1868 Blvd. Des Sources, Suite 115, Pointe-Claire, QC, Canada H9R 5R2 | Phone : (514) 630-5130 | Fax: (514) 695-1761

Large format tiles have been around for some time but have exploded in popularity over the past few years. They offer fewer grout lines and discontinuities resulting in a clean and smooth surface, making them perfect for interiors with a contemporary style. Their size makes them visually appealing as well as easier to clean. Large format tiles are classified as tiles that are 16" x 16" or larger or tiles with one edge greater than 15". The installation of these tiles has created new challenges for tile professionals. The handling and lifting of large format tiles require special care and caution to prevent damage to the material along with to prevent injury to the installer.

For these reasons, the New Tooltech® Xpert Large Format Tile System was created. Within this specifically created assortment you will find products that will make cutting, lifting, positioning and bonding these large format tiles quicker and more efficient.





## MANUAL RAIL TILE CUTTING SYSTEM FOR LARGE FORMAT TILES

Designed to cut large format tiles quickly and accurately.

### KIT INCLUDES:


- 3 - Guide Rails
- 1 - Cutting Head
- 1 - Cutting Wheel with Ball Bearings
- 3 - Aluminum Suction Cups
- 1 - Hand Tile Nipper
- 1 - Break Clamp Device
- 2 - F-Bar clamps
- 1 - 3.2m Break Clamp



All these items come packed in a heavy duty plastic molded case and tool bag for easy transport and storage.



**110062**



## CART FOR LARGE FORMAT TILES

- Safe and easy transport of tiles up to 3.2 x 1.6m.
- Heavy duty aluminum construction.
- Four rubber wheels with heavy-duty bearings; 2 lockable.



**110063**



**SAFETY LOAD:  
250KG**

## COLLAPSIBLE WORKBENCH FOR LARGE FORMAT TILES

- Heavy duty aluminum construction
- Assembled size: 1.8 x 1.4 M

**SAFETY LOAD:  
200KG**

**110064**




- 2 connectors (included) – Provides the ability to fasten multiple tables together.

## CARRYING SYSTEM FOR LARGE FORMAT TILES

This system has been designed to efficiently lift large format tiles during the installation process or when transporting them to and from different locations. It will also allow you to quickly lift, twist or rotate tiles between vertical and horizontal positions for precise placement.

**SAFETY LOAD:  
80KG**




**121025**

### FEATURES:

- Reinforced Aluminum alloy body
- Heavy duty steel handle
- Large capacity – suitable for tiles up to 3.2m x 1.6m
- No assembly required

### KIT INCLUDES:

- 2 – 1650mm aluminum poles
- 4 – 1900mm aluminum poles
- 10 – Aluminum suction cups



**BRACES NOT INCLUDED**




Used in installation of large format tiles ▲



## 2PC CROSS BARS FOR LARGE FORMAT TILES CARRYING SYSTEM

- To be used with the Large Format Tiles Carrying System
- Even suction force across the tile is ensured reducing incidence of accidental breakage.



**121028**

Cross Bar only: Carrying System (121025) not included

## URETHANE FLOAT TPR HANDLE 9-7/16 X 3-9/16"

- Urethane body cleans textured tiles and stone.
- Solid urethane bottom with straight corners will not mar or scratch the tile.
- Soft grip TPR handle.



**120223**


## CORDLESS VIBRATION TILE BEATER



- Large suction cup for uniform force.
- One hand operation.
- Max lifting capacity of 110 lb (50KG).
- Lever style suction cup lock.
- Vibration can be used with suction cup locked or open.
- Variable frequency vibration removes air from setting material used below tile.

**16<sup>MAX</sup>V**  
LITHIUM-ION  
1.5Ah

**192158**



#### SUCTION CUP LOCKING LEVER

Lever is used to engage suction and increase vibration, or disengaged for mobile use on the work piece.



#### HIGH-CAPACITY LITHIUM-ION BATTERY

Long lasting rechargeable battery for cordless operation



#### STRONG SUCTION CUP

Soft rubber suction cup offers up to 110 lb of lifting capacity



#### VARIABLE SPEED TRIGGER

Pressure sensitive switch offers 0-10000 r/min to allow adjustability for various applications



#### BULLSEYE LEVEL

Integrated bullseye level helps to ensure material is level

**SAFETY LOAD:  
50KG**



- Essential when laying large format tiles.
- High frequency vibration ensures even distribution of mortar behind the tile.
- 16v lithium battery.
- Battery capacity: 2000mA.
- Charge current: 1.5A.
- Max adsorption: 50kg
- Working Voltage: DC 16V
- Vibration: 0~10,000 r/MIN
- Charge: 2 hours

## TILE GAP REGULATOR FOR LARGE FORMAT TILES 2-SUCTION CUPS

The Tooltech® Xpert Tile Gap Regulator For large tiles has been designed to precisely fine tune the distance between two adjoining tiles ensuring their correct placement and that the proper grout line is achieved. Perfect for large format tiles, slabs and stones.

### FEATURES:

- Reinforced Aluminum alloy body
- Heavy duty steel handle
- Large capacity – suitable for tiles up to 3.2m x 1.6m
- No assembly required

**SAFETY LOAD:  
120KG**



**121023**


## TILE GAP REGULATOR FOR LARGE FORMAT TILES

The Tooltech® Xpert Tile Gap Regulator For large tiles has been designed to precisely fine tune the distance between two adjoining tiles ensuring their correct placement and that the proper grout line is achieved. Perfect for large format tiles, slabs and stones.

### FEATURES:

- Heavy Duty design
- Easy to operate
- Two 3-piece aluminum suction cups
- Allows for quick adjustments
- Smooth operation
- Maximum horizontal tension up to 1200N
- 2 – metal connections
- 1 – measuring scale


**COMES WITH 6  
REPLACEMENT  
LOCK HANDLES**



**SAFETY LOAD:  
150KG**



**121024**





**ADJUSTABLE WALL TILE LEVELING TOOL**

Designed to level and position wall tiles during installation

**FEATURES:**

- Size: 7½" W x 3¾" D x 8" H
- Allows for height adjustments between 1 – 10 cm
- High quality design
- Ergonomically designed to fit hand comfortably reducing strain
- Equipped with a high strength resistant spring
- Easy to operate

**121026****TILE BEATER BLOCK FOR LARGE FORMAT TILES**

Used for the installation of large format tiles to improve adhesive bonding. Beater Block assists by expelling air from underneath slabs or tiles preventing any potential cracks or material damage.

**FEATURES:**

- Overall Size: 14" x 5 ¾" (1355mm x 146mm)
- Overall Depth: 3/8" (10 mm)
- Manufactured with galvanized steel
- 10 mm thick rubber pad
- TPR soft grip handle

**120222****PUMP ACTION SUCTION CUP**

Lifts and positions large format tiles. Attaches and creates a strong bond to a variety of materials quickly and securely with just a few pump strokes.

**FEATURES:**

- Heavy Duty plastic lifting handle
- Superb lifting power - Rated for up to 100kgs
- Large quick positioning 8" (203 mm) head
- Quick action pump

**SAFETY LOAD:**  
**105KG**

**121027**

## PUMP SUCTION CUP

Lifts and positions most smooth, dry, non-porous surface materials. Attaches and creates a strong bond to a variety of materials quickly and securely with just a few pump strokes.

### FEATURES:

- Quick positioning 6" (152 mm) head
- Heavy duty steel lifting handle
- Quick action pump creates strong vacuum suction in seconds
- Designed with 7mm thick suction cup rubber
- Superb lifting power

**SAFETY LOAD:**  
**96KG**



**121020**

## PUMP SUCTION CUP

Lifts and positions most smooth, dry, non-porous surface materials. Attaches and creates a strong bond to a variety of materials quickly and securely with just a few pump strokes.

### FEATURES:

- Quick positioning 8" (203 mm) head
- Heavy duty steel lifting handle
- Quick action pump creates strong vacuum suction in seconds
- Designed with 7mm thick suction cup rubber
- Superb lifting power
- BMC Storage case included
- Quick release lever

**SAFETY LOAD:**  
**120KG**



**121021**

## PUMP SUCTION CUP WITH PRESSURE GAUGE

Lifts and positions most smooth, dry, non-porous surface materials. Attaches and creates a strong bond to a variety of materials quickly and securely with just a few pump strokes.

**SAFETY LOAD:**  
**120KG**

### FEATURES:

- Quick positioning 8" (203 mm) head
- Heavy duty steel lifting handle and brass tube
- Incorporated easy to read pressure gage
- Quick action pump creates strong vacuum suction in seconds
- Designed with durable multi-level rubber
- Superb lifting power
- BMC Storage case included
- Quick release lever
- Ideal for large porcelain or stone, tiles & glass
- BMC Storage case included



**121022**

**ABS - SUCTION CUP - SINGLE**

Lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for automotive applications.

**FEATURES:**

- Quick positioning 4.6" (117 mm) head
- Impact resistant ABS construction
- Durable rubber pad
- Great lifting ability

**SAFETY LOAD:**  
**50KG**



**120998**

**SUCTION CUP - DOUBLE**

Lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for multiple applications.

**FEATURES:**

- Quick positioning 4.8" (123 mm) double heads
- Impact resistant aluminum alloy body construction
- Durable 7mm thick rubber pad
- Great lifting ability
- Quick release levers

**SAFETY LOAD:**  
**100KG**



**120996**

**SUCTION CUP - TRIPLE**

Lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for multiple applications.

**FEATURES:**

- Quick positioning 5" (123 mm) triple heads
- Impact resistant aluminum alloy body construction
- Durable 7mm thick rubber pad
- Great lifting ability
- Quick release levers

**SAFETY LOAD:**  
**210KG**



**120997**



## ALUMINUM SUCTION CUP - SINGLE

This single nickel-plated high-density aluminum alloy body suction cup from Toolway lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for automotive applications or when handling large and bulky loads.

### FEATURES:

- Quick positioning 4.8" (123 mm) head
- Impact resistant aluminum alloy construction
- Durable 7mm thick rubber pad
- Great lifting ability
- Convenient grasp and release handle



**121001**

**SAFETY LOAD:  
50KG**



## ALUMINUM SUCTION CUP - DOUBLE

Lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for multiple applications.

### FEATURES:

- Quick positioning 4.6" (117 mm) double heads
- Impact resistant aluminum alloy body construction
- Durable 7mm thick rubber pad
- Great lifting ability
- 2 quick suction lock and release levers



**121002**

**SAFETY LOAD:  
100KG**



## ALUMINUM SUCTION CUP - TRIPLE

Lifts and positions most smooth, dry, non-porous surface materials quickly and securely. Its strong suction power makes it ideal for multiple applications.

### FEATURES:

- Quick positioning 5.3" (135 mm) triple heads
- Impact resistant aluminum alloy body construction
- Durable 7mm thick rubber pad
- Great lifting ability
- 3 quick suction lock and release levers



**121003**

**SAFETY LOAD:  
280KG**





## PLASTIC CORNER PROTECTORS

ProXtile® Corner Protectors For Tiles are made of heavy duty polypropylene to be reused multiples times. They protect large format tiles & slabs and absorb shocks that could damage or chip their material. Available in 3 different sizes: 6mm, 8mm & 10mm.



**110220**

### FEATURES:

- 4 corner protectors per pack.
- Reusable heavy duty plastic.
- For large format tiles or slabs.
- Size: 6mm.



**110221**

### FEATURES:

- 4 corner protectors per pack.
- Reusable heavy duty plastic.
- For large format tiles or slabs.
- Size: 8mm.



**110222**

### FEATURES:

- 4 corner protectors per pack.
- Reusable heavy duty plastic.
- For large format tiles or slabs.
- Size: 10mm.

