SAFETY DATA SHEET



HG extra, cement & grout residue remover

Section 1. Identi	fication			
Product identifier	: HG extra, cement & grout residue remover			
Other means of identification	: HG extra			
Product type	: Liquid.			
Relevant identified uses o	f the substance or mixture and uses advised against			
Not applicable.				
Supplier's details	: Solstrand Trading 60 Lockhart Road Barrie, Ontario L4N 4G8 Canada			
Emergency telephone number (with hours of operation)	: Chem. Tel Inc. (813) 248 0585 or Toll free (800) 255 3924 (24h)			
Section 2. Hazar	d identification			
Classification of the substance or mixture	: FLAMMABLE LIQUIDS - Category 4 ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1 SERIOUS EYE DAMAGE - Category 1			
GHS label elements				
Hazard pictograms				
Signal word	: Danger			
Hazard statements	Combustible liquid. Harmful if swallowed. Causes severe skin burns and eye damage.			
Precautionary statements	2			
General	: Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.			
Prevention	: Wear protective gloves: > 8 hours (breakthrough time): butyl rubber. Wear eye or face protection: Recommended: chemical splash goggles Wear protective clothing. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not eat, drink or smoke when using this product. Wash hands thoroughly after handling.			
Response	: IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER or physician. IF SWALLOWED: Immediately call a POISON CENTER or physician. Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. Wash contaminated clothing before reuse. Immediately call a POISON CENTER or physician. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or physician.			
Storage	: Store locked up.			
Disposal	Dispose of contents and container in accordance with all local regional national			

Disposal : Dispose of contents and container in accordance with all local, regional, national and international regulations.

Section 2. Hazard identification

Supplemental label : Percentage of the mixture consisting of ingredient(s) of unknown toxicity: 77,2% elements

Section 3. Composition/information on ingredients

Substance/mixture	: Mixture
Other means of	: HG extra
identification	

CAS number/other identifiers		
CAS number	:	Not applicable.
Product code		101 64

There are no ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-aid measures

Description of necessary first aid measures

Eye contact	: Get medical attention immediately. Call a poison center or physician. Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician.
Inhalation	 Get medical attention if symptoms occur. Remove victim to fresh air and keep at rest in a position comfortable for breathing.
Skin contact	: Get medical attention immediately. Call a poison center or physician. Wash contaminated skin with soap and water. Remove contaminated clothing and shoes. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 10 minutes. Chemical burns must be treated promptly by a physician. Wash clothing before reuse. Clean shoes thoroughly before reuse.
Ingestion	: Get medical attention immediately. Call a poison center or physician. Remove dentures if any. Stop if the exposed person feels sick as vomiting may be dangerous. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Chemical burns must be treated promptly by a physician. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Most important symptoms/effects, acute and delayed					
Potential acute health effects					
Causes serious eye damage.					
No known significant effects or critical hazards.					
Causes severe burns.					
Harmful if swallowed.					
<u>ns</u>					
Adverse symptoms may include the following: pain watering redness					
No specific data.					
Adverse symptoms may include the following: pain or irritation redness blistering may occur					

Section 4. First-aid measures

Ingestion	:	: Adverse symptoms may include the following: stomach pains	
Indication of immediate med	<u>dica</u>	l attention and special treatment needed, if necessary	
Notes to physician	:	Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.	
Specific treatments	:	No specific treatment.	
Protection of first-aiders	:	No action shall be taken involving any personal risk or without suitable training. If it is suspected that fumes are still present, the rescuer should wear an appropriate mask or self-contained breathing apparatus. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.	

See toxicological information (Section 11)

Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	: Use dry chemical, CO ₂ , water spray (fog) or foam.
Unsuitable extinguishing media	: Do not use water jet.
Specific hazards arising from the chemical	: Combustible liquid. In a fire or if heated, a pressure increase will occur and the container may burst, with the risk of a subsequent explosion. Runoff to sewer may create fire or explosion hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon dioxide carbon monoxide phosphorus oxides
Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. Move containers from fire area if this can be done without risk. Use water spray to keep fire-exposed containers cool.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

Section 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures			
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Shut off all ignition sources. No flares, smoking or flames in hazard area. Do not breathe vapor or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.	
For emergency responders	:	If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".	
Environmental precautions	:	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	

Methods and materials for containment and cleaning up

Date of issue/Date of revision	: 13-1-2016	Date of previous issue	: No previous validation	Version :1	3/12
--------------------------------	-------------	------------------------	--------------------------	------------	------

Section 6. Accidental release measures

Small spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Use spark-proof tools and explosion-proof equipment. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). The spilled material may be neutralized with sodium carbonate, sodium bicarbonate or sodium hydroxide. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

Section 7. Handling and storage

Precautions for safe handling

Protective measures	Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or on skin or clothing. Do not breathe vapor or mist. Do not ingest. Use only with adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Do not enter storage areas and confined spaces unless adequately ventilated. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Store and use away from heat, sparks, open flame or any other ignition source. Use explosion-proof electrical (ventilating, lighting and material handling) equipment. Use only non-sparking tools. Keep away from alkalis. Empty containers retain product residue and can be hazardous. Do not reuse container.
Advice on general occupational hygiene	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.
Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in a segregated and approved area. Store in original container protected from direct sunlight in a dry, cool and well- ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Eliminate all ignition sources. Separate from alkalis. Separate from oxidizing materials. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name			Exposure limits
Phosphoric acid, solution			CA Alberta Provincial (Canada, 4/2009). Skin sensitizer. 15 min OEL: 3 mg/m ³ 15 minutes. 8 hrs OEL: 1 mg/m ³ 8 hours. CA British Columbia Provincial (Canada, 5/2015). STEL: 3 mg/m ³ 15 minutes. TWA: 1 mg/m ³ 8 hours. CA Ontario Provincial (Canada, 7/2015). STEL: 3 mg/m ³ 15 minutes. TWA: 1 mg/m ³ 8 hours.
Date of issue/Date of revision	: 13-1-2016	Date of previous issue	: No previous validation Version : 1 4/12

Section 8. Exposure controls/personal protection

	CA Quebec Provincial (Canada, 1/2014).
	STEV: 3 mg/m ³ 15 minutes.
	TWAEV: 1 mg/m ³ 8 hours.
	CA Saskatchewan Provincial (Canada).
	STEL: 3 mg/m ³ 15 minutes.
	TWA: 1 mg/m ³ 8 hours.
oxalic acid	CA Alberta Provincial (Canada, 4/2009).
	Skin sensitizer.
	15 min OEL: 2 mg/m ³ 15 minutes.
	8 hrs OEL: 1 mg/m ³ 8 hours.
	CA British Columbia Provincial (Canada,
	5/2015).
	STEL: 2 mg/m ³ 15 minutes.
	TWA: 1 mg/m ³ 8 hours.
	CA Ontario Provincial (Canada, 7/2015).
	STEL: 2 mg/m ³ 15 minutes.
	TWA: 1 mg/m ³ 8 hours.
	CA Quebec Provincial (Canada, 1/2014).
	STEV: 2 mg/m ³ 15 minutes.
	TWAEV: 1 mg/m ³ 8 hours.
	CA Saskatchewan Provincial (Canada).
	STEL: 2 mg/m ³ 15 minutes.
	TWA: 1 mg/m ³ 8 hours.
Isopropyl alcohol	CA Alberta Provincial (Canada, 4/2009).
	15 min OEL: 984 mg/m ³ 15 minutes.
	8 hrs OEL: 200 ppm 8 hours.
	15 min OEL: 400 ppm 15 minutes.
	8 hrs OEL: 492 mg/m ³ 8 hours.
	CA British Columbia Provincial (Canada,
	5/2015).
	TWA: 200 ppm 8 hours.
	STEL: 400 ppm 15 minutes.
	CA Ontario Provincial (Canada, 7/2015).
	TWA: 200 ppm 8 hours.
	STEL: 400 ppm 15 minutes.
	CA Quebec Provincial (Canada, 1/2014).
	TWAEV: 400 ppm 8 hours.
	TWAEV: 983 mg/m ³ 8 hours.
	STEV: 500 ppm 15 minutes.
	STEV: 1230 mg/m ³ 15 minutes.
	CA Saskatchewan Provincial (Canada).
	STEL: 400 ppm 15 minutes.
	TWA: 200 ppm 8 hours.

Appropriate engineering controls	:	ventilation or other engineering contr contaminants below any recommend	Use process enclosures, local exhaust ols to keep worker exposure to airborne led or statutory limits. The engineering controls concentrations below any lower explosive on equipment.
Environmental exposure controls		they comply with the requirements of	rocess equipment should be checked to ensure f environmental protection legislation. In some ineering modifications to the process ce emissions to acceptable levels.
marriada protection measure			
Hygiene measures	:	eating, smoking and using the lavato Appropriate techniques should be us	roughly after handling chemical products, before bry and at the end of the working period. ed to remove potentially contaminated clothing. reusing. Ensure that eyewash stations and station location.
Date of issue/Date of revision		: 13-1-2016 Date of previous issue	: No previous validation Version : 1 5/12

Section 8. Exposure controls/personal protection

Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield. If inhalation hazards exist, a full-face respirator may be required instead. Recommended: chemical splash goggles.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. > 8 hours (breakthrough time): butyl rubber
Body protection	 Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	 Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

Section 9. Physical and chemical properties

Appearance	
Physical state	: Liquid.
Color	: Colorless to light yellow.
Odor	: Fragrance-like.
Odor threshold	: Not available.
рН	: <1 [Conc. (% w/w): 100%]
Melting point	: Not available.
Boiling point	: 100°C (212°F)
Flash point	: Closed cup: 62°C (143.6°F) [Product does not sustain combustion.]
Evaporation rate	: Not available.
Flammability (solid, gas)	: Not available.
Lower and upper explosive (flammable) limits	: Not available.
Vapor pressure	: Not available.
Vapor density	: Not available.
Relative density	: 1.135
Solubility	: Not available.
Partition coefficient: n- octanol/water	: Not available.
Auto-ignition temperature	: Not available.
Decomposition temperature	: Not available.
Viscosity	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: Avoid all possible sources of ignition (spark or flame). Do not pressurize, cut, weld, braze, solder, drill, grind or expose containers to heat or sources of ignition.
Incompatible materials	: Attacks many metals producing extremely flammable hydrogen gas which can form explosive mixtures with air. Reactive or incompatible with the following materials: alkalis oxidizing materials
Hazardous decomposition	: Under normal conditions of storage and use, hazardous decomposition products

products

Under normal conditions of storage and use, hazardous decomposition product should not be produced.

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Phosphoric acid, solution Isopropyl alcohol	LD50 Oral LD50 Dermal LD50 Oral	Rat Rabbit Rat	1.25 g/kg 12800 mg/kg 5000 mg/kg	

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
oxalic acid	Eyes - Severe irritant	Rabbit	-	24 hours 250 Micrograms	-
	Eyes - Severe irritant	Rabbit	-	0.066666667 minutes 100 milligrams	-
	Skin - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
Isopropyl alcohol	Eyes - Moderate irritant	Rabbit	-	24 hours 100 milligrams	-
	Eyes - Moderate irritant	Rabbit	-	10 milligrams	-
	Eyes - Severe irritant	Rabbit	-	100 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-

Sensitization

Not available.

Mutagenicity

Not available.

Carcinogenicity

Not available.

Reproductive toxicity

Not available.

Teratogenicity

Section 11. Toxicological information

Not available.

Not available.					
Specific target organ toxicit	<u>(single exposure)</u>				
Not available.					
Specific target organ toxicit	<u>(repeated exposure)</u>				
Not available.					
Aspiration hazard					
Not available.					
Information on the likely routes of exposure	Not available.				
Potential acute health effects					
Eye contact	Causes serious eye damage.				
Inhalation	No known significant effects or critical hazards.				
Skin contact	Causes severe burns.				
Ingestion	Harmful if swallowed.				
	cal, chemical and toxicological characteristics				
Eye contact	 Adverse symptoms may include the following: pain 				
	watering				
	redness				
Inhalation	No specific data.				
Skin contact	Adverse symptoms may include the following:				
	pain or irritation redness				
	blistering may occur				
Ingestion	Adverse symptoms may include the following:				
	stomach pains				
Delaved and immediate effect	and also chronic effects from short and long term exposure				
Short term exposure					
Potential immediate effects	Not available.				
Potential delayed effects	Not available.				
Long term exposure					
Potential immediate effects	Not available.				
Potential delayed effects	Not available.				

Potential chronic health effects

Not available.

General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Numerical measures of toxicity Acute toxicity estimates

8/12

Section 11. Toxicological information

R	oute	ATE value
0	ral	1348,8 mg/kg

Section 12. Ecological information

Toxicity

Product/ingredient name	Result	Species	Exposure
Phosphoric acid, solution	Acute EC50 105 ppm Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 60 ppm Fresh water	Fish - Lepomis macrochirus	96 hours
oxalic acid	Acute EC50 136900 to 150000 µg/l Fresh water	Daphnia - Daphnia magna - Larvae	48 hours
Isopropyl alcohol	Acute LC50 1400000 µg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 4200 mg/l Fresh water	Fish - Rasbora heteromorpha	96 hours

Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
oxalic acid	-	>70 % - 28 days		-	-
Product/ingredient name	Aquatic half-life		Photolysis	5	Biodegradability
oxalic acid	-		-		Readily

Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
oxalic acid	-1,7	-	low
Isopropyl alcohol	0,05	-	low

<u>Mobility in soil</u>	
Soil/water partition coefficient (Koc)	: Not available.

Other adverse effects

: No known significant effects or critical hazards.

Section 13. Disposal considerations

disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration o landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty	Disposal methods	all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Vapor from product residues may create a highly flammable or explosive atmosphere inside the container. Do not cut, weld or grind used containers unless they have been cleaned thoroughly internally. Avoid dispersal of spilled material and runoff and contact with soil,
--	------------------	--

Section 14. Transport information

	TDG	DOT	ADR/RID	IMDG	ΙΑΤΑ
	Classification	Classification			
UN number	UN1760	UN1760	UN1760	UN1760	UN1760
UN proper shipping name	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, solution, mixture)	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, solution, mixture)	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, solution, mixture)	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, solution, mixture)	CORROSIVE LIQUID, N.O.S. (Phosphoric acid, solution, mixture)
Transport hazard class(es)	8	8	8	8	8
Packing group	Ш	ш	ш	ш	ш
Environmental hazards	No.	No.	No.	No.	No.
Additional information	Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2. 40-2.42 (Class 8).	Reportable quantity 24250.5 lbs / 11009.7 kg [42. 772 gal / 161.91 L] Package sizes shipped in quantities less than the product reportable quantity are not subject to the RQ (reportable quantity) transportation requirements.	Hazard identification number 80 Limited quantity 5 L Tunnel code (E)	Emergency schedules (EmS) F-A, S-B	-

Special precautions for user	1	Transport within user's premises: always transport in closed containers that are
		upright and secure. Ensure that persons transporting the product know what to do in
		the event of an accident or spillage.

Transport in bulk according : Not available. to Annex II of MARPOL and the IBC Code

Section 15. Regulatory information

<u>Canadian lists</u>	
Canadian NPRI	: The following components are listed: Phosphorus (total); Isopropyl alcohol
CEPA Toxic substances	: None of the components are listed.
Canada inventory	: Not determined.
International regulations	
Chemical Weapon Conven	tion List Schedules I, II & III Chemicals
Not listed.	
Montreal Protocol (Annexe	es A. B. C. E)
Not listed.	

Section 15. Regulatory information

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

Inventory list	
Australia	: Not determined.
China	: Not determined.
Europe	: Not determined.
Japan	: Japan inventory (ENCS): Not determined. Japan inventory (ISHL): Not determined.
Malaysia	: Not determined.
New Zealand	: Not determined.
Philippines	: Not determined.
Republic of Korea	: Not determined.
Taiwan	: Not determined.
Turkey	: Not determined.
United States	: Not determined.

Section 16. Other information

History

- Hoter J	
Date of printing	: 29-1-2016
Date of issue/Date of revision	: 13-1-2016
Date of previous issue	: No previous validation
Version	: 1
Key to abbreviations	 ATE = Acute Toxicity Estimate BCF = Bioconcentration Factor GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Internediate Bulk Container IMDG = International Maritime Dangerous Goods LogPow = logarithm of the octanol/water partition coefficient MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution) UN = United Nations HPR = Hazardous Products Regulations

Procedure used to derive the classification

Classification	Justification
ACUTE TOXICITY (oral) - Category 4 SKIN CORROSION - Category 1	On basis of test data Calculation method On basis of test data On basis of test data

References

: Not available.

✓ Indicates information that has changed from previously issued version.

Notice to reader

Section 16. Other information

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

12/12